

MAIN SOURCES

- Ahmad, I., Mondal, M. E. A., & Satyanarayanan, M. 2016. Geochemistry of Archean metasedimentary rocks of the Aravalli craton, NW India: Implications for provenance, paleoweathering and supercontinent reconstruction. *Journal of Asian Earth Sciences*, 126, 58-73.
- Amarasinghe, U., Chaudhuri, A., Collins, A. S., Deb, G., & Patranabis-Deb, S. 2015. Evolving provenance in the Proterozoic Pranhita-Godavari Basin, India. *Geoscience Frontiers*, 6(3), 453-463.
- Brandt, S., Raith, M. M., Schenk, V., Sengupta, P., Srikantappa, C., & Gerdes, A. 2014. Crustal evolution of the Southern Granulite Terrane, south India: New geochronological and geochemical data for felsic orthogneisses and granites. *Precambrian Research*, 246, 91-122.
- Collins, A. S., Patranabis-Deb, S., Alexander, E., Bertram, C. N., Falster, G. M., Gore, R. J., ... Wade, B. P. 2015. Detrital mineral age, radiogenic isotopic stratigraphy and tectonic significance of the Cuddapah Basin, India. *Gondwana Research*, 28(4), 1294-1309.
- Collins, A.S., Clark, C., Plavsa, D. 2014. Peninsular India in Gondwana: The tectonothermal evolution of the Southern Granulite Terrain and its Gondwanan counterparts. *Gondwana Research*, 25, 190-203.
- Dasgupta, S., Bose, S., & Das, K. 2013. Tectonic evolution of the Eastern Ghats Belt, India. *Precambrian Research*, 227, 247-258.
- Ghosh, J. G. 2004. 3.56 Ga tonalite in the central part of the Bastar Craton, India: oldest Indian date. *Journal of Asian Earth Sciences*, 23(3), 359-364.
- Kaur, P., Zeh, A., Chaudhuri, N., & Eliyas, N. 2016. Unravelling the record of Archaean crustal evolution of the Bundelkhand Craton, northern India using U-Pb zircon-monazite ages, Lu-Hf isotope systematics, and whole-rock geochemistry of granitoids. *Precambrian Research*, 281, 384-413.
- Kumar, S., Rino, V., Hayasaka, Y., Kimura, K., Raju, S., Terada, K., & Pathak, M. 2016. Contribution of Columbia and Gondwana Supercontinent assembly- and growth-related magmatism in the evolution of the Meghalaya Plateau and the Mikir Hills, Northeast India: Constraints from U-Pb SHRIMP zircon geochronology and geochemistry. *Lithos*.
- Liu, S.; Kröner, A., Wan, Y., Santosh, M., Shaji, E., Dhanil Dev, S. G. 2016. Late Palaeoproterozoic depositional age for khondalite protoliths in southern India and tectonic implications. *Precambrian Research*, 283, 50-67.
- Maibam, B., Gerdes, A., & Goswami, J. N. 2016. U-Pb and Hf isotope records in detrital and magmatic zircon from eastern and western Dharwar craton, southern India: Evidence for coeval Archaean crustal evolution. *Precambrian Research*, 275, 496-512.
- McKenzie, N. R., Hughes, N. C., Myrow, P. M., Banerjee, D. M., Deb, M., & Planavsky, N. J. 2013. New age constraints for the Proterozoic Aravalli-Delhi successions of India and their implications. *Precambrian Research*, 238, 120-128.

- Pandit, D., & Panigrahi, M. K. 2012. Comparative petrogenesis and tectonics of Paleoproterozoic Malanjhand and Dongargarh granitoids, Central India. *Journal of Asian Earth Sciences*, 50, 14-26.
- Plavsa, D., Collins, A. S., Foden, J. F., Kropinski, L., Santosh, M., Chetty, T. R. K., & Clark, C. 2012. Delineating crustal domains in Peninsular India: Age and chemistry of orthopyroxene-bearing felsic gneisses in the Madurai Block. *Precambrian Research*, 198-199, 77-93.
- Ren, J. S., Niu, B. G., Wang, J., He, Z. J., Jin, X. C., Xie, L. Z., ... & Yang, F. L. 2013. 1: 5 million international geological map of Asia. *Diqiu Xuebao(Acta Geoscientica Sinica)*, 34(1), 24-30.
- Saha, D., & Patranabis-Deb, S. 2014. Proterozoic evolution of Eastern Dharwar and Bastar cratons, India - An overview of the intracratonic basins, craton margins and mobile belts. *Journal of Asian Earth Sciences*, 91, 230-251.
- Saha, D., & Patranabis-Deb, S. 2014. Proterozoic evolution of Eastern Dharwar and Bastar cratons, India - An overview of the intracratonic basins, craton margins and mobile belts. *Journal of Asian Earth Sciences*, 91, 230-251.
- Saikia, U., Rai, S. S., Meena, R., Prasad, B. N. V., & Borah, K. 2016. Moho offsets beneath the Western Ghat and the contact of Archean crusts of Dharwar Craton, India. *Tectonophysics*, 672-673, 177-189.
- Santosh, M., Yang, Q.-Y., Shaji, E., Mohan, M. R., Tsunogae, T., & Satyanarayanan, M. 2016. Oldest rocks from Peninsular India: Evidence for Hadean to Neoproterozoic crustal evolution. *Gondwana Research*, 29(1), 105-135.
- Sarkar, T., & Schenk, V. 2014. Two-stage granulite formation in a Proterozoic magmatic arc (Ongole domain of the Eastern Ghats Belt, India): Part 1. Petrology and pressure-temperature evolution. *Precambrian Research*, 255, Part 1, 485-509.
- Singh, M. R., Manikyamba, C., Ray, J., Ganguly, S., Santosh, M., Saha, A., ... Sawant, S. S. 2016. Major, trace and platinum group element (PGE) geochemistry of Archean Iron Ore Group and Proterozoic Malangtoli metavolcanic rocks of Singhbhum Craton, Eastern India: Inferences on mantle melting and sulphur saturation history. *Ore Geology Reviews*, 72, Part 2, 1263-1289.
- Vijaya Rao, V., Murty, A. S. N., Sarkar, D., Bhaskar Rao, Y. J., Khare, P., Prasad, A. S. S. R. S., Sen, M. K. 2015. Crustal velocity structure of the Neoproterozoic convergence zone between the eastern and western blocks of Dharwar Craton, India from seismic wide-angle studies. *Precambrian Research*, 266, 282-295.
- Wani, H., & Mondal, M. E. A. 2010. Petrological and geochemical evidence of the Paleoproterozoic and the Meso-Neoproterozoic sedimentary rocks of the Bastar craton, Indian Peninsula: Implications on paleoweathering and Proterozoic crustal evolution. *Journal of Asian Earth Sciences*, 38(5), 220-232.

COMPLETE LIST OF REFERENCES

- Absar, N., Nizamudheen, B. M., Augustine, S., Managave, S., & Balakrishnan, S. 2016. C, O, Sr and Nd isotope systematics of carbonates of Papaghni sub-basin, Andhra Pradesh, India: Implications for genesis of carbonate-hosted stratiform uranium

- mineralisation and geodynamic evolution of the Cuddapah basin. *Lithos*, 263, 88-100.
- Absar, N., Raza, M., Roy, M., Naqvi, S. M., & Roy, A. K. 2009. Composition and weathering conditions of Paleoproterozoic upper crust of Bundelkhand craton, Central India: Records from geochemistry of clastic sediments of 1.9 Ga Gwalior Group. *Precambrian Research*, 168(3), 313-329.
- Ahmad, T., Dragusanu, C., & Tanaka, T. 2008. Provenance of Proterozoic Basal Aravalli mafic volcanic rocks from Rajasthan, Northwestern India: Nd isotopes evidence for enriched mantle reservoirs. *Precambrian Research*, 162(1), 150-159.
- Amaldev, T., Santosh, M., Tang, L., Baiju, K. R., Tsunogae, T., & Satyanarayanan, M. 2016. Mesoarchean convergent margin processes and crustal evolution: Petrologic, geochemical and zircon U-Pb and Lu-Hf data from the Mercara Suture Zone, southern India. *Gondwana Research*, 37, 182-204.
- Amarasinghe, U., Chaudhuri, A., Collins, A. S., Deb, G., & Patranabis-Deb, S. 2015. Evolving provenance in the Proterozoic Pranhita-Godavari Basin, India. *Geoscience Frontiers*, 6(3), 453-463.
- Amarasinghe, U., Chaudhuri, A., Collins, A. S., Deb, G., & Patranabis-Deb, S. 2015. Evolving provenance in the Proterozoic Pranhita-Godavari Basin, India. *Geoscience Frontiers*, 6(3), 453-463.
- Angelier, J., & Baruah, S. 2009. Seismotectonics in Northeast India: a stress analysis of focal mechanism solutions of earthquakes and its kinematic implications. *Geophysical Journal International*, 178(1), 303-326.
- Balakrishnan, T. S., Unnikrishnan, P., & Murty, A. V. S. 2009. The tectonic map of India and contiguous areas. *Journal of the Geological Society of India*, 74(2), 158-168.
- Tripathy, G. R., & Singh, S. K. (2015). Re-Os depositional age for black shales from the Kaimur Group, Upper Vindhyan, India. *Chemical Geology*, 413, 63-72.
- Mishra & bernhardt et al 2013
- Bandyopadhyay, P. K., Chakrabarti, A. K., DeoMurari, M. P., & Misra, S. 2001. 2.8 Ga old anorogenic granite-acid volcanics association from western margin of the Singhbhum-Orissa Craton, Eastern India. *Gondwana Research*, 4(3), 465-475.
- Bhandari, A., Chandra Pant, N., Bhowmik, S. K., & Goswami, S. 2011. ~ 1.6 Ga ultrahigh-temperature granulite metamorphism in the Central Indian Tectonic Zone: insights from metamorphic reaction history, geothermobarometry and monazite chemical ages. *Geological Journal*, 46(2-3), 198-216.
- Bhattacharya, S., Santosh, M., Zhang, Z., Huang, H., Banerjee, A., George, P. M., & Sajeev, K. 2014. Imprints of Archean to Neoproterozoic crustal processes in the Madurai Block, southern India. *Journal of Asian Earth Sciences*, 88, 1-10.
- Bhowmik, S. K., & Dasgupta, S. 2012. Tectonothermal evolution of the Banded Gneissic Complex in central Rajasthan, NW India: Present status and correlation. *Journal of Asian Earth Sciences*, 49, 339-348.
- Bhowmik, S. K., & Dasgupta, S. 2012. Tectonothermal evolution of the Banded Gneissic Complex in central Rajasthan, NW India: Present status and correlation. *Journal of Asian Earth Sciences*, 49, 339-348.

- Bhowmik, S. K., Bernhardt, H. J., & Dasgupta, S. 2010. Grenvillian age high-pressure upper amphibolite-granulite metamorphism in the Aravalli-Delhi Mobile Belt, Northwestern India: New evidence from monazite chemical age and its implication. *Precambrian Research*, 178(1), 168-184.
- Bhowmik, S. K., Wilde, S. A., Bhandari, A., & Basu Sarbadhikari, A. 2014. Zoned monazite and zircon as monitors for the thermal history of granulite terranes: an example from the Central Indian Tectonic Zone. *Journal of Petrology*, 55(3), 585-621.
- Brandt, S., Raith, M. M., Schenk, V., Sengupta, P., Srikantappa, C., & Gerdes, A. 2014. Crustal evolution of the Southern Granulite Terrane, south India: New geochronological and geochemical data for felsic orthogneisses and granites. *Precambrian Research*, 246, 91-122.
- Braun, I. 2006. Pan-African granitic magmatism in the Kerala Khondalite Belt, southern India. *Journal of Asian Earth Sciences*, 28(1), 38-45.
- Chattopadhyay, S., Upadhyay, D., Nanda, J. K., Mezger, K., Pruseth, K. L., & Berndt, J. 2015. Proto-India was a part of Rodinia: evidence from Grenville-age suturing of the Eastern Ghats Province with the Paleoproterozoic Singhbhum Craton. *Precambrian research*, 266, 506-529.
- Collins, A. S., Clark, C., & Plavsa, D. 2014. Peninsular India in Gondwana: the tectonothermal evolution of the Southern Granulite Terrain and its Gondwanan counterparts. *Gondwana Research*, 25(1), 190-203.
- Collins, A. S., Patranabis-Deb, S., Alexander, E., Bertram, C. N., Falster, G. M., Gore, R. J., ... & Jourdan, F. 2015. Detrital mineral age, radiogenic isotopic stratigraphy and tectonic significance of the Cuddapah Basin, India. *Gondwana Research*, 28(4), 1294-1309.
- Dasgupta, S., Bose, S., & Das, K. 2013. Tectonic evolution of the Eastern Ghats belt, India. *Precambrian Research*, 227, 247-258.
- de Wall, H., Pandit, M. K., Sharma, K. K., Schöbel, S., & Just, J. 2014. Deformation and granite intrusion in the Sirohi area, SW Rajasthan—Constraints on Cryogenian to Pan-African crustal dynamics of NW India. *Precambrian Research*, 254, 1-18.
- Dharmapriya, P. L., Malaviarachchi, S. P. K., Sajeev, K., & Zhang, C. 2016. New LA-ICPMS U-Pb geochronology of detrital zircons from the Highland complex: insights into Sri Lanka-India Gondwana linkage. *International Geology Review*, 58, 1856-1883.
- Dobmeier, C., Lütke, S., Hammerschmidt, K., & Mezger, K. 2006. Emplacement and deformation of the Vinukonda meta-granite (Eastern Ghats, India)—Implications for the geological evolution of peninsular India and for Rodinia reconstructions. *Precambrian Research*, 146(3), 165-178.
- French, J. E., Heaman, L. M., Chacko, T., & Srivastava, R. K. 2008. 1891–1883Ma Southern Bastar-Cuddapah mafic igneous events, India: a newly recognized large igneous province. *Precambrian Research*, 160(3), 308-322.
- Ghosh, J. G. 2004. 3.56 Ga tonalite in the central part of the Bastar Craton, India: oldest Indian date. *Journal of Asian Earth Sciences*, 23(3), 359-364.

- Glorie, S., De Grave, J., Singh, T., Payne, J. L., & Collins, A. S. 2014. Crustal root of the Eastern Dharwar Craton: zircon U–Pb age and Lu–Hf isotopic evolution of the East Salem Block, southeast India. *Precambrian Research*, 249, 229-246.
- Goswami, B., & Basu, S. K. 2013. Metamorphism of Proterozoic agpaitic nepheline syenite gneiss from North Singhbhum Mobile Belt, eastern India. *Mineralogy and Petrology*, 107(4), 517-538.
- Henderson, B., Collins, A. S., Payne, J., Forbes, C., & Saha, D. 2014. Geologically constraining India in Columbia: the age, isotopic provenance and geochemistry of the protoliths of the Ongole Domain, Southern Eastern Ghats, India. *Gondwana Research*, 26(3), 888-906.
- Hughes, N. C., Myrow, P. M., McKenzie, N. R., Xiao, S., Banerjee, D. M., Stockli, D. F., & Tang, Q. 2015. Age and implications of the phosphatic Birmania Formation, Rajasthan, India. *Precambrian Research*, 267, 164-173.
- Ishwar-Kumar, C., Santosh, M., Wilde, S. A., Tsunogae, T., Itaya, T., Windley, B. F., & Sajeev, K. 2016. Mesoproterozoic suturing of Archean crustal blocks in western peninsular India: Implications for India–Madagascar correlations. *Lithos*, 263, 143-160.
- Ishwar-Kumar, C., Windley, B. F., Horie, K., Kato, T., Hokada, T., Itaya, T., ... & Sajeev, K. 2013. A Rodinian suture in western India: New insights on India-Madagascar correlations. *Precambrian Research*, 236, 227-251.
- Islam, M. S., & Shinjo, R. 2012. The Dauki fault at the Shillong plateau-bengal basin boundary in northeastern India: 2D finite element modeling. *Journal of Earth Science*, 23(6), 854.
- Johnson, T. E., Clark, C., Taylor, R. J., Santosh, M., & Collins, A. S. 2015. Prograde and retrograde growth of monazite in migmatites: An example from the Nagercoil Block, southern India. *Geoscience Frontiers*, 6(3), 373-387.
- Karmakar, S., Bose, S., Sarbadhikari, A. B., & Das, K. 2011. Evolution of granulite enclaves and associated gneisses from Purulia, Chhotanagpur Granite Gneiss Complex, India: Evidence for 990–940Ma tectonothermal event (s) at the eastern India cratonic fringe zone. *Journal of Asian Earth Sciences*, 41(1), 69-88.
- Kaur, P., Eliyas, N., & Chaudhri, N. 2017. Record of post-collisional A-type magmatism in the Alwar complex, northern Aravalli orogen, NW India. *Current Science (00113891)*, 112(3).
- Kaur, P., Zeh, A., & Chaudhri, N. 2017. Palaeoproterozoic continental arc magmatism, and Neoproterozoic metamorphism in the Aravalli-Delhi orogenic belt, NW India: New constraints from in situ zircon U–Pb–Hf isotope systematics, monazite dating and whole-rock geochemistry. *Journal of Asian Earth Sciences*, 136, 68-88.
- Kaur, P., Zeh, A., Chaudhri, N., & Eliyas, N. 2016. Unravelling the record of Archaean crustal evolution of the Bundelkhand Craton, northern India using U–Pb zircon–monazite ages, Lu–Hf isotope systematics, and whole-rock geochemistry of granitoids. *Precambrian Research*, 281, 384-413.
- Kröner, A., Kehelpannala, K. V. W., & Hegner, E. 2003. Ca. 750–1100 Ma magmatic events and Grenville-age deformation in Sri Lanka: relevance for Rodinia

- supercontinent formation and dispersal, and Gondwana amalgamation. *Journal of Asian Earth Sciences*, 22(3), 279-300.
- Kröner, A., Santosh, M., Hegner, E., Shaji, E., Geng, H., Wong, J., ... & Sun, M. 2015. Palaeoproterozoic ancestry of Pan-African high-grade granitoids in southernmost India: Implications for Gondwana reconstructions. *Gondwana Research*, 27(1), 1-37.
- Kumar, S., Rino, V., Hayasaka, Y., Kimura, K., Raju, S., Terada, K., & Pathak, M. 2016. Contribution of Columbia and Gondwana Supercontinent assembly- and growth-related magmatism in the evolution of the Meghalaya Plateau and the Mikir Hills, Northeast India: Constraints from U-Pb SHRIMP zircon geochronology and geochemistry. *Lithos*.
- Liu, S.; Kröner, A., Wan, Y., Santosh, M., Shaji, E., Dhanil Dev, S. G. 2016. Late Palaeoproterozoic depositional age for khondalite protoliths in southern India and tectonic implications. *Precambrian Research*, 283, 50-67.
- Mahato, S., & Bhattacharya, A. 2010. P-T conditions of the cratonic rocks and Eastern Ghats granulites along the Eastern Ghats Frontal Thrust, Jeypore (Orissa), India. *Journal of Asian Earth Sciences*, 39(6), 537-550.
- Maibam, B., Gerdes, A., & Goswami, J. N. 2016. U-Pb and Hf isotope records in detrital and magmatic zircon from eastern and western Dharwar craton, southern India: Evidence for coeval Archaean crustal evolution. *Precambrian Research*, 275, 496-512.
- Mandal, A., Gupta, S., Mohanty, W. K., & Misra, S. 2015. Sub-surface structure of a craton-mobile belt interface: Evidence from geological and gravity studies across the Rengali Province-Eastern Ghats Belt boundary, eastern India. *Tectonophysics*, 662, 140-152.
- Mani, D., Ratnam, B., Kalpana, M. S., Patil, D. J., & Dayal, A. M. 2016. Elemental and organic geochemistry of Gondwana sediments from the Krishna-Godavari Basin, India. *Chemie der Erde-Geochemistry*, 76(1), 117-131.
- Manikyamba, C., Kerrich, R., Gonzalez-Alvarez, I., Mathur, R., & Khanna, T. C. 2008. Geochemistry of Paleoproterozoic black shales from the Intracontinental Cuddapah basin, India: implications for provenance, tectonic setting, and weathering intensity. *Precambrian Research*, 162(3), 424-440.]
- Martin, A. J. 2017. A review of definitions of the Himalayan Main Central Thrust. *International Journal of Earth Sciences*, 106(6), 2131-2145.
- Mathavan, V. W. K. B. N., Prame, W. K. B. N., & Cooray, P. G. 1999. Geology of the high grade Proterozoic terrains of Sri Lanka, and the assembly of Gondwana: an update on recent developments. *Gondwana Research*, 2(2), 237-250.
- McKenzie, N. R., Hughes, N. C., Myrow, P. M., Banerjee, D. M., Deb, M., & Planavsky, N. J. 2013. New age constraints for the Proterozoic Aravalli-Delhi successions of India and their implications. *Precambrian Research*, 238, 120-128.
- Mohanty, S. 2012. Spatio-temporal evolution of the Satpura Mountain Belt of India: A comparison with the Capricorn Orogen of Western Australia and implication for evolution of the supercontinent Columbia. *Geoscience Frontiers*, 3(3), 241-267.

- Nanda, J., & Gupta, S. 2012. Intracontinental orogenesis in an ancient continent-continent collision zone: Evidence from structure, metamorphism and PT paths across a suspected suture zone within the Eastern Ghats Belt, India. *Journal of Asian Earth Sciences*, 49, 376-395.
- Ozha, M. K., Mishra, B., Hazarika, P., Jeyagopal, A. V., & Yadav, G. S. 2016. EPMA monazite geochronology of the basement and supracrustal rocks within the Pur-Banera basin, Rajasthan: Evidence of Columbia breakup in Northwestern India. *Journal of Asian Earth Sciences*, 117, 284-303.
- Pandit, D., & Panigrahi, M. K. 2012. Comparative petrogenesis and tectonics of Paleoproterozoic Malanjhand and Dongargarh granitoids, Central India. *Journal of Asian Earth Sciences*, 50, 14-26.
- Plavsa, D., Collins, A. S., Foden, J. F., Kropinski, L., Santosh, M., Chetty, T. R. K., & Clark, C. 2012. Delineating crustal domains in Peninsular India: age and chemistry of orthopyroxene-bearing felsic gneisses in the Madurai Block. *Precambrian Research*, 198, 77-93.
- Prachiti, P. K., Manikyamba, C., Singh, P. K., Balaram, V., Lakshminarayana, G., Raju, K., ... & Arora, M. 2011. Geochemical systematics and precious metal content of the sedimentary horizons of Lower Gondwanas from the Sattupalli coal field, Godavari Valley, India. *International Journal of Coal Geology*, 88(2), 83-100.
- Rajesh, K. G., & Chetty, T. R. K. 2006. Structure and tectonics of the Achankovil Shear Zone, southern India. *Gondwana research*, 10(1), 86-98.
- Ramamohanarao, T., Sairam, K., Venkateswararao, Y., Nagamalleswararao, B., & Viswanath, K. 2003. Sedimentological characteristics and depositional environment of Upper Gondwana rocks in the Chintalapudi sub-basin of the Godavari valley, Andhra Pradesh, India. *Journal of Asian Earth Sciences*, 21(6), 691-703.
- Ratheesh-Kumar, R. T., Santosh, M., Yang, Q. Y., Ishwar-Kumar, C., Chen, N. S., & Sajeev, K. 2016. Archean tectonics and crustal evolution of the Biligiri Rangan Block, southern India. *Precambrian Research*, 275, 406-428.
- Ren, J. S., Niu, B. G., Wang, J., He, Z. J., Jin, X. C., Xie, L. Z., ... & Yang, F. L. 2013. 1: 5 million international geological map of Asia. *Diqiu Xuebao(Acta Geoscientica Sinica)*, 34(1), 24-30.
- Roy, A., Prasad, M. H., & Bhowmik, S. K. 2001. Recognition of pre-Grenvillian and Grenvillian tectonothermal events in the Central Indian Tectonic Zones: implications on Rodinian crustal assembly. *Gondwana Research*, 4(4), 755-757.
- Saha, D., & Patranabis-Deb, S. 2014. Proterozoic evolution of Eastern Dharwar and Bastar cratons, India—an overview of the intracratonic basins, craton margins and mobile belts. *Journal of Asian Earth Sciences*, 91, 230-251.
- Saha, D., & Tripathy, V. 2012. Palaeoproterozoic sedimentation in the Cuddapah Basin, south India and regional tectonics: a review. *Geological Society, London, Special Publications*, 365(1), 161-184.
- Saikia, U., Rai, S. S., Meena, R., Prasad, B. N. V., & Borah, K. 2016. Moho offsets beneath the Western Ghat and the contact of Archean crusts of Dharwar Craton, India. *Tectonophysics*, 672-673, 177-189.

- Santosh, M., Yang, Q.-Y., Shaji, E., Mohan, M. R., Tsunogae, T., & Satyanarayanan, M. 2016. Oldest rocks from Peninsular India: Evidence for Hadean to Neoproterozoic crustal evolution. *Gondwana Research*, 29(1), 105-135.
- Sarkar, T., Schenk, V., Appel, P., Berndt, J., & Sengupta, P. 2014. Two-stage granulite formation in a Proterozoic magmatic arc (Ongole domain of the Eastern Ghats Belt, India): Part 2. LA-ICP-MS zircon dating and texturally controlled in-situ monazite dating. *Precambrian Research*, 255, 467-484.
- Sensarma, S., Palme, H., & Mukhopadhyay, D. 2002. Crust-mantle interaction in the genesis of siliceous high magnesian basalts: evidence from the Early Proterozoic Dongargarh Supergroup, India. *Chemical Geology*, 187(1), 21-37.
- Singh, M. R., Manikyamba, C., Ray, J., Ganguly, S., Santosh, M., Saha, A., . . . Sawant, S. S. 2016. Major, trace and platinum group element (PGE) geochemistry of Archean Iron Ore Group and Proterozoic Malangtoli metavolcanic rocks of Singhbhum Craton, Eastern India: Inferences on mantle melting and sulphur saturation history. *Ore Geology Reviews*, 72, Part 2, 1263-1289.
- Sridhar, M., Markandeyulu, A., & Chaturvedi, A. K. 2017. Mapping subtrappean sediments and delineating structure with the aid of airborne time domain electromagnetics: Case study from Kaladgi Basin, Karnataka. *Journal of Applied Geophysics*, 136, 9-18.
- Teale, W., Collins, A. S., Foden, J., Payne, J. L., Plavsa, D., Chetty, T. R. K., ... & Fanning, M. 2011. Cryogenian (~ 830Ma) mafic magmatism and metamorphism in the northern Madurai Block, southern India: a magmatic link between Sri Lanka and Madagascar?. *Journal of Asian Earth Sciences*, 42(3), 223-233.
- Valdiya, K. S. 2015. *The making of India: geodynamic evolution*. Springer.
- Vijaya Rao, V., Murty, A. S. N., Sarkar, D., Bhaskar Rao, Y. J., Khare, P., Prasad, A. S. S. R. S., Sen, M. K. 2015. Crustal velocity structure of the Neoproterozoic convergence zone between the eastern and western blocks of Dharwar Craton, India from seismic wide-angle studies. *Precambrian Research*, 266, 282-295.
- Walling, M. Y., Mohanty, W. K., Nath, S. K., Mitra, S., & John, A. 2009. Microtremor survey in Talchir, India to ascertain its basin characteristics in terms of predominant frequency by Nakamura's ratio technique. *Engineering Geology*, 106(3), 123-132.
- Wani, H., & Mondal, M. E. A. 2010. Petrological and geochemical evidence of the Paleoproterozoic and the Meso-Neoproterozoic sedimentary rocks of the Bastar craton, Indian Peninsula: Implications on paleoweathering and Proterozoic crustal evolution. *Journal of Asian Earth Sciences*, 38(5), 220-232.
- Yellappa, T., Chetty, T. R. K., & Santosh, M. 2016. Precambrian iron formations from the Cauvery Suture Zone, Southern India: Implications for sub-marine hydrothermal origin in Neoproterozoic and Neoproterozoic convergent margin settings. *Ore Geology Reviews*, 72, 1177-1196.
- Yellappa, T., Venkatasivappa, V., Koizumi, T., Chetty, T. R. K., Santosh, M., & Tsunogae, T. 2014. The mafic-ultramafic complex of Aniyapuram, Cauvery Suture Zone, southern India: Petrological and geochemical constraints for Neoproterozoic suprasubduction zone tectonics. *Journal of Asian Earth Sciences*, 95, 81-98.