

MAIN SOURCES

- Choubert, G., Faure-Muret, A. (general coordinators), Chanteux P. (Cartographic work), Simpson, E.S.W., Shackleton, L., Ségoufin, J., Seguin, C. (Oceanic domain coordinators), Sougy, J. (Editorial Committee) 1987-1990. International Geological Map of Africa. UNESCO/CGMW, sheets 1, 2, 3, 4, 5, scale 1:5,000,000.
- De Wit, M. J., Stankiewicz, J. and Reeves, C. 2008. Restoring Pan-African-Brasiliano connections: more Gondwana control, less trans-Atlantic corruption. Geological Society, London, Special Publications. Geological Society of London, 294(1), 399–412.
- Feliks, M.P., Ahlbrandt, T.S., Tuttle, M.L., Charpentier, R.R., Brownfield, M.E., Takahashi, K.I. 2001. Map Showing Geology, Oil and Gas Fields, and Geologic Provinces of Africa at 1:5.000.000 scale. U.S. Geological Survey's World Energy Project (WEP).
- Fritz, H., Tenczer, V., Hauzenberger, C., Wallbrecher, E., & Muhongo, S. 2009. Hot granulite nappes—tectonic styles and thermal evolution of the Proterozoic granulite belts in East Africa. *Tectonophysics*, 477(3), 160-173.
- Fritz, H., Abdelsalam, M., Ali, K. A., Bingen, B., Collins, A. S., Fowler, A. R., Macey, P. 2013. Orogen styles in the East African Orogen: a review of the Neoproterozoic to Cambrian tectonic evolution. *Journal of African Earth Sciences*, 86, 65-106.
- Hunter, Donald Raymond (Ed.) 1981. Precambrian of the southern hemisphere. Elsevier,.
- Johnson, P.R. 2006. Explanatory Notes to the Map of Proterozoic Geology of Western Saudi Arabia. Saudi Geological Survey Technical Report SGS-TR-2006-4, 62 p., Scale 1:1,500,000.
- Kröner, A. and Cordani, U. 2003. African, southern Indian and South American cratons were not part of the Rodinia supercontinent: evidence from field relationships and geochronology. *Tectonophysics*. Elsevier, 375(1), 325–352.
- Lescuyer, J.L., Le Goff, E., Delor, C., Billa, M., Ralay, F., Henry, C. 2004. Géologie et principaux gisements d'Afrique - Carte et SIG à 1:10.000.000. CAG20 - Colloquium of African Geology - 20th - Orléans - France.
- Milesi, J.P., Feybesse, J.L., Pinna, P., Deschamps, Y., Kampunzu, H., Muhongo, S., Lescuyer, J.L., Le Goff, E., Delor, C., Billa, M., Ralay, F., Henry, C. 2004. Geological map of Africa 1:10,000,000, SIGAfric project. In: 20th Conference of African Geology, BRGM, Orleans, France.
- Milesi, J.P., Frizon de Lamotte, D., de Kock, G., Totou F. 2010. Tectonic Map of Africa (2nd edition). 1:10M. Commission for the Geological Map of the World - Unesco.
- Stankiewicz, J. and de Wit, M. 2013. 3.5 billion years of reshaped Moho, southern Africa. *Tectonophysics*. Elsevier, 609, 675–689.
- Thiéblemont D. (edit.) 2016. Geological Map of Africa at 1:10 M scale, CGMW-BRGM. ISBN: 9782917310328. doi: 10.14682/2016GEOAFR.
- Unrug, R. 1996. Geodynamic Map of Gondwana. IGCP Project 288 - Gondwanaland Sutures and Fold Belts. Council for Geoscience, Pretoria, South Africa, Bureau de Recherches Géologiques et Minières, Orleans, France.

COMPLETE LIST OF REFERENCES

- Abdallah, N., Liégeois, J.-P., Waele, B.D., Fezaa, N., Ouabadi, A. 2007. The Temaguessine Fe-cordierite orbicular granite (Central Hoggar, Algeria): U-Pb SHRIMP age, petrology, origin and geodynamical consequences for the late Pan-African magmatism of the Tuareg Shield. *Journal of African Earth Sciences*, 49, 153-178.
- Abdelsalam, M.G., Liégeois, J-P, Stern, R.J. 2002. The Saharan Metacraton. *Journal of African Earth Sciences*, 34, 119-136.
- Abdelsalam, M.G., Abdel-Rahman, E.-S.M., El-Faki, E.-F.M., Al-Hur, B., El-Bashier, F.-R.M., Stern, R.J., Thurmond, A.K. 2003. Neoproterozoic deformation in the northeastern part of the Saharan Metacraton, northern Sudan. *Precambrian Research* 123, 203-221.
- Acef, K., Liégeois, J.P., Ouabadi, A., Latouche, L. 2003. The anfeq post-collisional Pan-African high-K calc-alkaline batholith (Central Hoggar, Algeria), result of the LATEA microcontinent metacratonization. *Journal of African Earth Sciences*, 37, 295-311.
- Agbossoumondé, Y., Ménot, R.-P., Paquette, J.L. Paquette, Guillot, S., Yéssoufou, S., Perrache, C. 2007. Petrological and geochronological constraints on the origin of the Palimé-Amlamé granitoids (South Togo, West Africa): A segment of the West African Craton Paleoproterozoic margin reactivated during the Pan-African collision. *Gondwana Research*, 12, 476-488.
- Aidoo, F., Nude, P.M., Dampare, S.B., Agbossoumondè, Y., Salifu, M., Appenteng, M.K., Tulasi, D. 2014. Geochemical Characteristics of Granitoids (Ho Gneiss) from the Pan - African Dahomeyide Belt, Southeastern, Ghana: Implications for Petrogenesis and Tectonic Setting. *Journal of Environment and Earth Science*, 4, 15.
- Alexandre, P., Andreoli, M. A. G., Jamison, A., Gibson, R. L. 2006. Ar age constraints on low-grade metamorphism and cleavage development in the Transvaal Supergroup (central Kaapvaal craton, South Africa): implications for the tectonic setting of the Bushveld Igneous Complex. *South African Journal of Geology*, 109(3), 393. Retrieved from <http://sajg.geoscienceworld.org/content/109/3/393.abstract>
- Ali, A.A., Zoheir, B.A., Stern, R.J., Andresen, A., Whitehouse, M.J., Bishara, W.W. 2016. Lu-Hf and O isotopic compositions on single zircons from the North Eastern Desert of Egypt, Arabian-Nubian Shield: Implications for crustal evolution. *Gondwana Research* 32, 181-192.
- Allsopp, H. L., Barton, E. S., Welke, H. J., Kroener, A., Burger, A. J. 1983. Emplacement versus inherited isotopic age patterns. In *Evolution of the Damara Orogen of South West Africa/Namibia*.
- Allsopp, H. L., Kramers, J. D., Jones, D. L., Erlank, A. J. 1989. The age of the Umkondo Group, eastern Zimbabwe, and implications for palaeomagnetic correlations. *South African Journal of Geology*, 92(1), 11-19.

- Álvaro, J.J.; Benziane, F.; Thomas, R.; Walsh, G.J.; Yazidi, A. 2014. Neoproterozoic-Cambrian stratigraphic framework of the Anti-Atlas and Ouzellagh promontory (High Atlas), Marroco. *Journal of African Earth Sciences* 98, 19-33.
- Álvaro, J.J.; Macouin, M.; Ezzouhairi, H.; Charif, A.; Ayad, N.A.; Ribeiro, M.L.; Ader, M. 2008. Late Neoproterozoic carbonate productivity in a rifting context: the Adoudou Formation and its associated bimodal volcanism onlapping the estern Saghro inlier, Maccoro. From: Ennih, N. and Liégeois, J.-P. (eds) *The Boundaries of the West African Craton*. Geological Society, London, Special Publications, 297, 285-302.
- Armstrong, R. A., Compston, W., Retief, E. A., Williams, I. S., Welke, H. J. 1991. Zircon ion microprobe studies bearing on the age and evolution of the Witwatersrand triad. *Precambrian Research*, 53(3), 243-266. [https://doi.org/http://dx.doi.org/10.1016/0301-9268\(91\)90074-K](https://doi.org/http://dx.doi.org/10.1016/0301-9268(91)90074-K)
- Armstrong, R., Wit, M. J. De, Reid, D., York, D., Zartman, R. 1998. Cape Town's Table Mountain reveals rapid Pan-African uplift of its basement rocks. *Journal of African Earth Sciences*, 27(1), 10.
- Avigad, D., Morag, N., Abbo, A., Gerdes, A. 2017. Detrital rutile U-Pb perspective on the origin of the great Cambro-Ordovician sandstone of North Gondwana and its linkage to orogeny. *Gondwana Research*, 51, 17-29. <https://doi.org/https://doi.org/10.1016/j.gr.2017.07.001>
- Bailie, R., Gutzmer, J., Rajesh, H. M. 2010. Litho-geochemistry as a tracer of the tectonic setting, lateral integrity and mineralization of a highly metamorphosed Mesoproterozoic volcanic arc sequence on the eastern margin of the Namaqua Province, South Africa. *Lithos*, 119(3), 345-362.
- Bailie, R., Gutzmer, J., Rajesh, H. M., Armstrong, R. 2011. Age of ferroan A-type post-tectonic granitoids of the southern part of the Keimoes Suite, Northern Cape Province, South Africa. *Journal of African Earth Sciences*, 60(3), 153-174.
- Bangert, B., Stollhofen, H., Lorenz, V., Armstrong, R. 1999. The geochronology and significance of ash-fall tuffs in the glaciogenic Carboniferous-Permian Dwyka Group of Namibia and South Africa. *Journal of African Earth Sciences*, 29(1), 33-49.
- Baratoux, L., Metelka, V., Naba, S., Jessell, M.W., Gregoire, M., Ganne, J. 2011. Juvenile Paleoproterozoic crust evolution during the Eburnean orogeny (~2.2e2.0 Ga), western Burkina Faso. *Precambrian Research* 191, 18-45.
- Baratoux, L.; Metelka, V.; Naba, S.; Ouyia, P.; Siebenaller, L.; Jessell, M.W.; Naré, A.; Salvi, S.; Béziat, D.; Franceschi, G. 2015. Tectonic evolution of the Gaoua region, Burkina Faso: Implications for mineralization. *Journal of African Earth Sciences*, 112, 419-439.
- Bea, F., Abu-Anbar, M., Montero, P., Peres, P., Talavera, C. 2009. The ~844 Ma Moneiga quartz-diorites of the Sinai, Egypt: evidence for Andean-type arc or rift-related magmatism in the Arabian-Nubian Shield? *Precambrian Research*, 175, 161-168.
- Becker, T., Hansen, B. T., Weber, K., Wiegand, B. 2004. Isotope systematics (Sm/Nd, Rb/Sr, U/Pb) of the Elim Fm, the Alberta Complex, and the Weener Igneous Complex—probable genetic links between magmatic rocks of the

- Paleoproterozoic Rehoboth Basement Inlier/Namibia. *Communications of the Geological Survey of Namibia*, 13, 75–84.
- Becker, T., and Schalk, K. E. L. 2008. The Sinclair Supergroup of the Rehoboth volcanic arc from the Sossusvlei–Gamsberg area to the Gobabis region. R. McG. Miller, *The Geology of Namibia*. Geological Survey, Windhoek, 1, 8–68.
- Becker, T., Schreiber, U., Kampunzu, A. B., Armstrong, R. 2006. Mesoproterozoic rocks of Namibia and their plate tectonic setting. *Journal of African Earth Sciences*, 46(1), 112–140.
- Becker, T., Wiegand, B., Hansen, B. T., Weber, K. 2004. Sm-Nd, Rb-Sr and U-Pb data from the Rehoboth Basement Inlier, Namibia: evidence of a paleoproterozoic magmatic arc. *Communications of the Geological Survey of Namibia*, 13, 75–84.
- Be'eri-Shlevin, Y., Samuel, M.D., Azer, M.K., Ramo, O.T., Whitehouse, M.J., Moussa, H.E. 2011. The Ediacaran Ferani and Rutig volcano-sedimentary successions of the northernmost Arabian-Nubian Shield (ANS): New insights from zircon U–Pb geochronology, geochemistry and O–Nd isotope ratios. *Precambrian Research*, 188, 21–44.
- Berger, J., Ouzegane, K., Bendaoud A., Liégeois, J.-P., Kiénast, J.-R., Bruguier, O., Caby, R. 2014. Continental subduction recorded by Neoproterozoic eclogite and garnet amphibolites from Western Hoggar (Tassendjanet terrane, Tuareg Shield, Algeria). *Precambrian Research*, 247, 139–158.
- Beukes, G. J. 1973. 'n Geologiese ondersoek van die gebied suid van Warmbad, Suidwes-Afrika, met spesiale verwysing na die metamorf-magmatiese assosiasies van die voorkambriese gesteentes.
- Bial, J., Büttner, S. H., and Frei, D. 2015. Formation and emplacement of two contrasting late-Mesoproterozoic magma types in the central Namaqua Metamorphic Complex (South Africa, Namibia): Evidence from geochemistry and geochronology. *Lithos*, 224, 272–294.
- Bingen, B., Jacobs, J., Viola, G., Henderson, I.H.C., Skår, Ø., Boyd, R., Thomas, R.J., Solli, A., Key, R.M., Daudi, E.X.F. 2009. Geochronology of the Precambrian crust in the Mozambique belt in NE Mozambique, and implications for Gondwana assembly. *Precambrian Research*, 170(3), 231–255.
- Bingen, B., Viola, G., Griffin, W.L., Jacobs, J., Boyd, R., Thomas, Robert James, Daudi, E., Henderson, I.H.C., Beyer, E., Skar, Ø, Key, Roger, Solli, A., Sandstad, J.S., Smethurst, M., Tveten, E., Bjerkgård, T., Melezhik, V.A., Jamal, D., Smith, Richard, Hollick, Louise, Feitio, P. 2007. Crustal architecture in the Mozambique belt, northeastern Mozambique: perspective from U-Pb and Lu-Hf isotopes in zircon. In 7th International Symposium on Applied Isotope Geochemistry (Stellenbosch, South Africa, 2007), abstract.
- Blanco, G., Germs, G. J. B., Rajesh, H. M., Chemale Jr, F., Dussin, I. A., Justino, D. 2011. Provenance and paleogeography of the Nama Group (Ediacaran to early Palaeozoic, Namibia): Petrography, geochemistry and U–Pb detrital zircon geochronology. *Precambrian Research*, 187(1–2), 15–32. <https://doi.org/https://doi.org/10.1016/j.precamres.2011.02.002>

- Blaxland, A., Gohn, E., Haack, U., Hoffer, E. 1979. Rb/Sr ages of late-tectonic granites in the Damara Orogen, Southwest Africa/Namibia. *Neues Jahrbuch Für Mineralogie Monatshefte*, 11, 498–508.
- Blewett, S. C. J., and Phillips, D. 2016. An Overview of Cape Fold Belt Geochronology: Implications for Sediment Provenance and the Timing of Orogenesis. In *Origin and Evolution of the Cape Mountains and Karoo Basin* (pp. 45–55). Springer.
- Block, S., Moyen, J.-F., Zeh, A., Poujol, M., Jaguin, J., Paquette, J.-L. 2013. The Murchison Greenstone Belt, South Africa: Accreted slivers with contrasting metamorphic conditions. *Precambrian Research*, 227, 77–98. <https://doi.org/10.1016/j.precamres.2012.03.005>
- Boniface, N., and Schenk, V. 2012. Neoproterozoic eclogites in the Paleoproterozoic Ubendian Belt of Tanzania: evidence for a Pan-African suture between the Bangweulu Block and the Tanzania Craton. *Precambrian Research*, 208, 72–89.
- Boniface, N., Schenk, V., Appel, P. 2012. Paleoproterozoic eclogites of MORB-type chemistry and three Proterozoic orogenic cycles in the Ubendian Belt (Tanzania): Evidence from monazite and zircon geochronology, and geochemistry. *Precambrian Research*, 192, 16–33.
- Buick, I. S., Williams, I. S., Gibson, R. L., Cartwright, I., Miller, J. A. 2003. Carbon and U–Pb evidence for a Palaeoproterozoic crustal component in the Central Zone of the Limpopo Belt, South Africa. *Journal of the Geological Society*, 160(4), 601–612. <https://doi.org/10.1144/0016-764902-059>
- Bulambo, M., De Waele, B., Kokonyangi, J., Johnson, S. P., Kampunzu, A. B., Tembo, F. 2006. SHRIMP Zircon U-Pb geochronology and geochemistry of the chomakalomo block granitoids (Zambia): geological implications. In *XXI Colloq. Afr. Geol.(CAG21)* (pp. 26–27). Citeseer.
- Caby, R., Buscail, F., Dembélé, D., Diakitè, S., Sacko, S., Bal, M. 2008. Neoproterozoic garnet-glaucophanites and eclogites: new insights for subduction metamorphism of the Gourma fold and thrust belt (eastern Mali). From: Ennih, N. and Liégeois, J.-P. (eds) *The Boundaries of the West African Craton*. Geological Society, London, Special Publications, 297, 203–216.
- Caby, R. and Monié, P. 2003. Neoproterozoic subductions and differential exhumation of western Hoggar (southwest Algeria): new structural, petrological and geochronological evidence. *Journal of African Earth Sciences* 37, 269–293.
- Cahen, L. 1983. Brèves précisions sur l'âge des groupes crétaciques post-Wealdien (Loia, Bokungu, Kwango) du Bassin intérieur du Congo (Rèpublique du Zaïre). *Mus. Royal Afrique Centrale., Tervuren (Belgium) Département Géologie Mineral, Rapp. Annual*, 61–72.
- Cahen, L., Snelling, N. J., Delhal, J., Vail, J. R., Bonhomme, M., Ledent, D. 1984. The geochronology and evolution of Africa. Clarendon. Oxford.
- Carney, J.N., Jordan, C.J., Thomas, C.W., Condon, D.J., Kemp, S.J., Duodo, J.A. 2010. Lithostratigraphy, sedimentation and evolution of the Volta Basin in Ghana. *Precambrian Research* 183, 701–724.

- Carvalho, H. de, and Alves, P. 1990. Gabbro-anorthosite complex of SW Angola/NW Namibia. *Inst. Inv. Científica Tropical, Série de Ciências Da Terra, Comunicações*, 2, 1–66.
- Carvalho, H. de, Crasto, J. P., Silva, Z. C. G., Vialette, Y. 1987. The Kibaran cycle in Angola—a discussion. *Geological Journal*, 22(S2), 85–102.
- Chaúque, F. R., Cordani, U. G., Jamal, D. L., Onoe, A. T. 2017. The Zimbabwe Craton in Mozambique: A brief review of its geochronological pattern and its relation to the Mozambique Belt. *Journal of African Earth Sciences*, 129, 366–379. <https://doi.org/http://dx.doi.org/10.1016/j.jafrearsci.2017.01.021>
- Chaúque, F. R. 2012. Contribuição para o conhecimento da evolução tectônica do Cinturão de Moçambique, em Moçambique. INSTITUTO DE GEOCIÊNCIAS.
- Chemale, F., Scheepers, R., Gresse, P. G., Van Schmus, W. R. 2011. Geochronology and sources of late Neoproterozoic to Cambrian granites of the Saldania Belt. *International Journal of Earth Sciences*, 100(2–3), 431–444.
- Cheng, Q. 2017. Singularity analysis of global zircon U-Pb age series and implication of continental crust evolution. *Gondwana Research*, 51, 51–63. <https://doi.org/https://doi.org/10.1016/j.gr.2017.07.011>
- Choubert, G., Faure-Muret, A., Chanteux, P., Roche, G., Simpson, E., Shackleton, L., Segoufin, J., Seguin, C., Sougy, J. 1990. International Geological Map of Africa. CGMW and UNESCO.
- Chudasama, B.; Porwal, A.; Kreuzer, O.P.; Butera, K. 2016. Geology, geodynamics and orogenic gold prospectivity modelling of the Paleoproterozoic Kumasi Basin, Ghana, West Africa. *Ore Geology Reviews* 78, 692–711.
- Clay, A. N. 2015. The geology of the Malmani Dolomite Sub-Group in the Carletonville area, Transvaal.
- Clifford, T. N., Barton, E. S., Stern, R. A., Duchesne, J.-C. 2004. U–Pb zircon calendar for Namaquan (Grenville) crustal events in the granulite-facies terrane of the O’okiep copper district of South Africa. *Journal of Petrology*, 45(4), 669–691.
- Cohen, K. M., Finney, S. C., Gibbard, P. L., Fan, J.-X. 2013. The ICS international chronostratigraphic chart. *Episodes*, 36(3), 199–204.
- Colliston, W. P., Schoch, A. E., Praekelt, H. E. 2012. Stratigraphy of the Mesoproterozoic Aggeneys Terrane, western Namaqua mobile belt, South Africa. *South African Journal of Geology*, 115(4), 449–464.
- Corcoran, P. L., Bumby, A. J., Davis, D. W. 2013. The Paleoproterozoic Waterberg Group, South Africa: Provenance and its relation to the timing of the Limpopo orogeny. *Precambrian Research*, 230, 45–60. <https://doi.org/10.1016/j.precamres.2012.12.009>
- Cornell, D. H., Armstrong, R. A., Walraven, F. 1998. Geochronology of the Proterozoic Hartley Basalt Formation, South Africa: constraints on the Kheis tectogenesis and the Kaapvaal Craton’s earliest Wilson cycle. *Journal of African Earth Sciences*, 26(1), 5–27.

- Cornell, D. H., Schütte, S. S., Eglington, B. L. 1996. The Ongeluk basaltic andesite formation in Griqualand West, South Africa: submarine alteration in a 2222 Ma Proterozoic sea. *Precambrian Research*, 79(1-2), 101-123.
- Couëffé, R. and Vecoli, M. 2011. New sedimentological and biostratigraphic data in the Kwahu Group (Meso- to Neo-Proterozoic), southern margin of the Volta Basin, Ghana: Stratigraphic constraints and implications on regional lithostratigraphic correlations. *Precambrian Research* 189, 155-175.
- Dabo, M.; Gueye, M.; Ngom, P.M.; Diagne, M. 2008. Orogen-parallel tectonic transport: transpression and strain partitioning in the Mauritanides of NE Senegal. From: Ennih, N. and Liégeois, J.-P. (eds) *The Boundaries of the West African Craton*. Geological Society, London. Special publications, 297, 483-997.
- Dabo, M. and Aifa, T. 2011. Late Eburnean deformation in the Kolia-Boboti sedimentary basin, Kédougou-Kéniéba Inlier, Sénégal. *Journal of African Earth Sciences*, 60, 106-116.
- Daly, M. C., Lawrence, S. R., Diemu-Tshiband, K., Matouana, B. 1992. Tectonic evolution of the Cuvette Centrale, Zaire. *Journal of the Geological Society*, 149(4), 539-546.
- Day, M. O., Ramezani, J., Bowring, S. A., Sadler, P. M., Erwin, D. H., Abdala, F., Rubidge, B. S. 2015. When and how did the terrestrial mid-Permian mass extinction occur? Evidence from the tetrapod record of the Karoo Basin, South Africa. In *Proc. R. Soc. B* (Vol. 282, p. 20150834). The Royal Society.
- De Carvalho, H. 1981. *Geologia de Angola*. 4 folhas, escala 1: 1 000 000. Laboratório Nacional de Investigação Científica Tropical, Junta de Investigações Científicas Do Ultramar.
- De Waele, B., Johnson, S. P., Pisarevsky, S. A. 2008. Palaeoproterozoic to Neoproterozoic growth and evolution of the eastern Congo Craton: its role in the Rodinia puzzle. *Precambrian Research*, 160(1), 127-141.
- De Waele, B., Wingate, M. T. D., Fitzsimons, I. C. W., Mapani, B. S. E. 2003. Untying the Kibaran knot: A reassessment of Mesoproterozoic correlations in southern Africa based on SHRIMP U-Pb data from the Irumide belt. *Geology*, 31(6), 509-512.
- De Wit, M. J. 1991. Archaean greenstone belt tectonism and basin development: some insights from the Barberton and Pietersburg greenstone belts, Kaapvaal Craton, South Africa. *Journal of African Earth Sciences (and the Middle East)*, 13(1), 45-63.
- De Wit, M. J., Stankiewicz, J., Reeves, C. 2008. Restoring Pan-African-Brasiliano connections: more Gondwana control, less trans-Atlantic corruption. Geological Society, London, Special Publications, 294(1), 399-412.
- Degler, R., Pedrosa-Soares, A., Dussin, I., Queiroga, G., Schulz, B. 2017. Contrasting provenance and timing of metamorphism from paragneisses of the Araçuaí-Ribeira orogenic system, Brazil: Hints for Western Gondwana assembly. *Gondwana Research*, 51, 30-50. <https://doi.org/https://doi.org/10.1016/j.gr.2017.07.004>
- Delhal, J. 1991. Situation géochronologique 1990 du Précambrien du Sud-Kasai et de l'Ouest-Shaba. *Mus. Roy. Afr. Centr., Tervuren (Belg.)*, 1989-1990.

- Delor, C., Lafon, J. M., Rossi, P., Cage, M., Pato, D., Chevrel, S., Le Matour, J., Matukov, D., Sergeev, S. 2006. Unravelling Precambrian crustal growth of central west Angola: Neoproterozoic to Siderian inheritance, main Orosirian accretion and discovery of the "Angolan" Pan African Belt. In Abstract of the 21st Colloquium of African Geology, Maputo, Mozambique (pp. 3-5).
- Derder, M.E.M., Maouche, S., Liégeois, J.P., Henry, B., Amenna, M., Ouabadi, A., Bellon, H., Bruguier, O., Bayou, B., Bestandji, R., Nouar, O., Bouabdallah, H., Ayache, M., Beddiaf, M. 2016. Discovery of a Devonian mafic magmatism on the western border of the Murzuq basin (Saharan Metacraton): Paleomagnetic dating and geodynamical implications. *Journal of African Earth Sciences* 115, 159-176.
- Djouadi, M. T., Gleizes, G., Ferré, E., Bouchez, J. L., Caby, R., Lesquer, A. 1997. Oblique magmatic structures of two epizonal granite plutons, Hoggar, Algeria: late-orogenic emplacement in a transcurrent orogen. *Tectonophysics*, 279(1-4), 351-374.
- Dorland, H. C., Beukes, N. J., Gutzmer, J., Evans, D. A. D., Armstrong, R. A. 2006. Precise SHRIMP U-Pb zircon age constraints on the lower Waterberg and Soutpansberg Groups, South Africa. *South African Journal of Geology*, 109(1-2), 139-156.
- Doucoure M., Bowring S, de W. M. J. 1999. African craton project: a focus on the West African shield, with new data from the Congo Craton, Central African shield.
- Dowman, E., Wall, F., Jeffries, T., Treloar, P., Carter, A., Rankin, A. 2017. Granitoid zircon forms the nucleus for minerals precipitated by carbonatite-derived metasomatic fluids at Chilwa Island, Malawi. *Gondwana Research*, 51, 64-77. <https://doi.org/https://doi.org/10.1016/j.gr.2017.07.008>
- Duclaux, G., Ménot, R.P., Guillot, S., Agbossoumondé, Y., Hilairet, N. 2006. The mafic layered complex of the Kabyé massif (north Togo and north Benin): Evidence of a Pan-African granulitic continental arc root. *Precambrian Research* 151, 101-118.
- Eagles, G. 2009. West Gondwana: Pre-Cenozoic Correlations Across the South Atlantic Region, Edited by R.J. Pankhurst, R.A.J. Trouw, B.B. de Brito Neves, M.J. de Wit Geological Society Special Publication 294, London, 2008. ISBN 978-1862392472, 432 pp. £95. *Antarctic Science*, 21(6), 681. <https://doi.org/10.1017/s0954102009990587>
- Eglington, B. M. 2006. Evolution of the Namaqua-Natal Belt, southern Africa - A geochronological and isotope geochemical review. *Journal of African Earth Sciences*, 46(1-2), 93-111. <https://doi.org/10.1016/j.jafrearsci.2006.01.014>
- Eglington, B. M., Armstrong, R. A. 2003. Geochronological and isotopic constraints on the Mesoproterozoic Namaqua-Natal Belt: evidence from deep borehole intersections in South Africa. *Precambrian Research*, 125(3), 179-189.
- El-Bialy, M.Z., Ali, K.A., Abu El-Enen, M.M., Ahmed, A.H. 2015. Provenance and metamorphic PT conditions of Cryogenian-Ediacaran metasediments from the Kid metamorphic complex, Sinai, NE Arabian-Nubian Shield: Insights from

- detrital zircon geochemistry and mineral chemistry. *Tectonophysics* 685, 199-217.
- Elburg, M. A., and Cawthorn, R. G. (n.d.). Source and evolution of the alkaline Pilanesberg Complex, South Africa. *Chemical Geology*. <https://doi.org/http://doi.org/10.1016/j.chemgeo.2016.10.007>
- Eliwa, H.A., Breitzkreuz C., Murata, M., Khalaf, M., Bühler, B., Itaya, T., Takahashi, T., Hirahara, Y., Miyazaki, T., Kimura, J-I., Shibata, T., Koshi, Y., Fowler A., from EGPC/CONOC Coral 1987 and Geological Survey of Egypt (EGSMA) 1:250,000 Geological Map series, 1992 to 2001 in Eliwa et al. 2014.
- Ennih, N. and Liégeois, J.-P. 2008. The boundaries of the West African Craton, with special reference to the basement of the Moroccan metacratonic Anti-Atlas Belt. From: Ennih, N. and Liégeois, J.-P. (eds) *The Boundaries of the West African Craton*. Geological Society, London, Special Publications, 297, 1-17.
- Eriksson, P. G., Bartman, R., Catuneanu, O., Mazumder, R., Lenhardt, N. 2012. A case study of microbial mat-related features in coastal epeiric sandstones from the Paleoproterozoic Pretoria Group (Transvaal Supergroup, Kaapvaal craton, South Africa), The effect of preservation (reflecting sequence stratigraphic models) on the relat. *Sedimentary Geology*, 263-264, 67-75. <https://doi.org/10.1016/j.sedgeo.2011.08.006>
- Evuk, D., Franz, G., Frei, D., Lucassen, F. 2014. The Neoproterozoic evolution of the central-eastern Bayuda Desert (Sudan). *Precambrian Research* 240, 108-125.
- Fairey, B., Tsikos, H., Corfu, F., Polteau, S. 2013. U-Pb systematics in carbonates of the Postmasburg Group, Transvaal Supergroup, South Africa: Primary versus metasomatic controls. *Precambrian Research*, 231, 194-205. <https://doi.org/https://doi.org/10.1016/j.precamres.2013.03.010>
- Farahat, E.S. and Azer, M.K. 2011. Post-collisional magmatism in the northern Arabian-Nubian Shield: The geotectonic evolution of the alkaline suite at Gebel Tarbush area, south Sinai, Egypt. *Chemie der Erde* 71, 247-266.
- Ferre, E. C. and Caby, R. 2007. Granulite facies metamorphism and charnockite plutonism: examples from the Neoproterozoic Belt of northern Nigeria. *Proceedings of the Geologists' Association, US*, 47-54.
- Feybesse, J.L., Billa, M., Guerrot, C., Duguey, E., Lescuyer, J.L., Milési, J.P., Bouchot, V. 2006. The Paleoproterozoic Ghanaian province: geodynamic model and ore controls, including regional stress modeling. *Precambrian Research* 149, 149-196.
- Fezaa, N., Liégeois, J.-P., Abdallah, N., Cherfouh, E.H., Waele, B.D., Bruguier, O., Ouabadi, A. 2010. Late Ediacaran geological evolution (575-555 Ma) of the Djanet Terrane, Eastern Hoggar, Algeria, evidence for a Murzukian intracontinental episode. *Precambrian Research* 180, 299-327.
- Fildani, A., Weislogel, A., Drinkwater, N. J., McHargue, T., Tankard, A., Wooden, J., Hodgson, D., Flint, S. 2009. U-Pb zircon ages from the southwestern Karoo Basin, South Africa—Implications for the Permian-Triassic boundary. *Geology*, 37(8), 719-722.
- Florisbal, L. M., Heaman, L. M., de Assis Janasi, V., de Fatima Bitencourt, M. 2014. Tectonic significance of the Florianópolis Dyke Swarm, Paraná-Etendeka

- Magmatic Province: A reappraisal based on precise U–Pb dating. *Journal of Volcanology and Geothermal Research*, 289, 140–150. <https://doi.org/https://doi.org/10.1016/j.jvolgeores.2014.11.007>
- Fourie, P. H., Zimmermann, U., Beukes, N. J., Naidoo, T., Kobayashi, K., Kosler, J., Nakamura, E., Tait, J., Theron, J. N. 2011. Provenance and reconnaissance study of detrital zircons of the Palaeozoic Cape Supergroup in South Africa: revealing the interaction of the Kalahari and Río de la Plata cratons. *International Journal of Earth Sciences*, 100(2–3), 527–541.
- Frei, R., Schoenberg, R., Blenkinsop, T. G. 1999. Geochronology of the late Archaean Razi and Chilimanzi suites of granites in Zimbabwe, implications for the late Archaean tectonics of the Limpopo Belt and Zimbabwe Craton. *South African Journal of Geology*, 102(1), 55 LP-63. Retrieved from <http://sajg.geoscienceworld.org/content/102/1/55.abstract>
- Frimmel, H. E. 2008. Neoproterozoic Gariep Orogen. *The Geology of Namibia*, 2.
- Frimmel, H. E. 2000. New U-Pb zircon ages for the Kuboos pluton in the Pan-African Gariep belt, South Africa: Cambrian mantle plume or far field collision effect? *South African Journal of Geology*, 103(3–4), 207–214.
- Frimmel, H. E., Basei, M. S., Gaucher, C. 2011. Neoproterozoic geodynamic evolution of SW-Gondwana: a southern African perspective. *International Journal of Earth Sciences*, 100(2–3), 323–354.
- Frimmel, H. E., Fölling, P. G., Diamond, R. 2001. Metamorphism of the Permo-Triassic Cape Fold Belt and its basement, South Africa. *Mineralogy and Petrology*, 73(4), 325–346.
- Frimmel, H. E., and van Achterbergh, E. 1995. Metamorphism of calc-silicate and associated rocks in the Pan-African Kaaimans Group, Saldania Belt, South Africa. *Mineralogy and Petrology*, 53(1), 75–102.
- Frimmel, H. E., Basei, M. A. S., Correa, V. X., Mbangula, N. 2013. A new lithostratigraphic subdivision and geodynamic model for the Pan-African western Saldania Belt, South Africa. *Precambrian Research*, 231, 218–235.
- Frimmel, H. E., Hartnady, C. J. H., Koller, F. 1996. Geochemistry and tectonic setting of magmatic units in the Pan-African Gariep Belt, Namibia. *Chemical Geology*, 130(1–2), 101–121.
- Fritz, H., Abdelsalam, M., Ali, K. A., Bingen, B., Collins, A. S., Fowler, A. R., Viola, G. 2013. Orogen styles in the East African Orogen: A review of the Neoproterozoic to Cambrian tectonic evolution. *Journal of African Earth Sciences*, 86, 65–106. <https://doi.org/10.1016/j.jafrearsci.2013.06.004>
- Fritz, H., Tenczer, V., Hauzenberger, C., Wallbrecher, E., Muhongo, S. 2009. Hot granulite nappes—tectonic styles and thermal evolution of the Proterozoic granulite belts in East Africa. *Tectonophysics*, 477(3), 160–173.
- Fullgraf, T.; Ndiaye, P.M.; Blein, O.; Buscaïl, F.; Lahondère, D.; Métour, J.L.; Sergeev, S.; Tegye, M. 2013. Silurian magmatism in eastern Senegal and its significance for the Paleozoic evolution of NW-Gondwana. *Journal of African Earth Sciences* 78, 66-85.

- Furon, R. 1958b. Esquisse structurale provisoire de l'Afrique au 1: 10,000,000: Assoc. Services Geol. Africains, Paris.
- Ganade, E.C., Cordani, U.G., Agbossoumounde, Y., Caby, R., Basei, M.A.S., Weinber, R.F., Sato, K. 2016. Tightening-up NE Brazil and NW Africa connections: New U-Pb/Lu-Hf zircon data of a complete plate tectonic cycle in the Dahomey belt of the West Gondwana Orogen in Togo and Benin. *Precambrian Research*, 276, 24-42.
- Garlick, W. G., and Brummer, J. J. 1951. The age of the granites of the Northern Rhodesian Copperbelt. *Economic Geology*, 46(5), 478-497.
- Gaucher, C., Frimmel, H. E., Germs, G. J. B. 2009. Tectonic events and palaeogeographic evolution of Southwestern Gondwana in the Neoproterozoic and Cambrian. *Developments in Precambrian Geology*, 16, 295-316.
- Gentle, R. T., Hooker, P. J., Miller, J. A., Fitch, F. J. 1978. Evidence for Cape Fold Belt overprinting of the Groot Haelkraal granite during the Upper Permian. *Transactions of the Geological Society of South Africa*, 81(1), 105-107.
- Geringer, G. J., Botha, B. J. V, Slabbert, M. J. 1988. The Keimoes Suite, a composite granitoid batholith along the eastern margin of the Namaqua mobile belt, South Africa. *South African Journal of Geology*, 91(4), 465. Retrieved from <http://sajg.geoscienceworld.org/content/91/4/465.abstract>
- Germs, G. J. B. 1983. Implications of a sedimentary facies and depositional environmental analysis of the Nama Group in South West Africa/Namibia. *Geological Society of South Africa, Special Publication*, 11, 89-114.
- Glikson, A. Y. 2014. *The Archaean: Geological and Geochemical Windows Into the Early Earth* (Vol. 9). Springer.
- Glynn, S., Wiedenbeck, M., Master, S., Frei, D. 2015. New U-Pb zircon geochronology of the Choma-Kalomo Block (Zambia) and the Dete-Kamativi Inlier (Zimbabwe), with implications for the extent of the Zimbabwe Craton. In *EGU General Assembly Conference Abstracts* (Vol. 17, p. 1032).
- Good, N., and De Wit, M. J. 1997. The Thabazimbi-Murchison lineament of the Kaapvaal craton, South Africa: 2700 Ma of episodic deformation. *Journal of the Geological Society*, 154(1), 93-97.
- Goodenough, K.M., Lusty, P.A.J., Roberts, R.M.W., Key, R.M., Garba, A. 2014. Post-collisional Pan-African granitoids and rare metal pegmatites in western Nigeria: Age, petrogenesis, and the 'pegmatite conundrum'. *Lithos* 200-201, 22-34.
- Gresse, P. G., Chemale, F., Silva, L. C. Da, Walraven, F., Hartmann, L. A. 1996. Late- to post-orogenic basins of the Pan-African - Brasiliano collision orogen in southern Africa and southern Brazil. *Basin Research*, 8(2), 157-171. <https://doi.org/10.1046/j.1365-2117.1996.01504.x>
- Gresse, P. G., Fitch, F. J., Miller, J. A. 1988. ⁴⁰Ar/³⁹Ar dating of the Cambro-Ordovician Vanrhynsdorp tectonite in southern Namaqualand. *South African Journal of Geology*, 91(2), 257-263.
- Gresse, P. G., and Scheepers, R. 1993. Neoproterozoic to Cambrian (Namibian) rocks of South Africa: a geochronological and geotectonic review. *Journal of African Earth Sciences (and the Middle East)*, 16(4), 375-393.

- Gresse, P. G., Von Veh, M. W., Frimmel, H. E. 2006. Namibian (Neoproterozoic) to early Cambrian successions. *The Geology of South Africa*. Geological Society of South Africa, Johannesburg, 395–420.
- Grotzinger, J. P., Bowring, S. A., Saylor, B. Z., Kaufman, A. J. 1995. Biostratigraphic and geochronologic constraints on early animal evolution. *SCIENCE-NEW YORK THEN WASHINGTON-*, 598.
- Gutzmer, J., Nhleko, N., Beukes, N. J., Pickard, A., Barley, M. E. 1999. Geochemistry and ion microprobe (SHRIMP) age of a quartz porphyry sill in the Mozaan Group of the Pongola Supergroup, implications for the Pongola and Witwatersrand supergroups. *South African Journal of Geology*, 102(2), 139. Retrieved from <http://sajg.geoscienceworld.org/content/102/2/139.abstract>
- Halpin, J. A., Daczko, N. R., Kobler, M. E., Whittaker, J. M. 2017. Strike-slip tectonics during the Neoproterozoic–Cambrian assembly of East Gondwana: Evidence from a newly discovered microcontinent in the Indian Ocean (Batavia Knoll). *Gondwana Research*, 51, 137–148. <https://doi.org/https://doi.org/10.1016/j.gr.2017.08.002>
- Hansma, J., Tohver, E., Schrank, C., Jourdan, F., Adams, D. 2016. The timing of the Cape Orogeny: New 40 Ar/39 Ar age constraints on deformation and cooling of the Cape Fold Belt, South Africa. *Gondwana Research*, 32, 122–137.
- Hanson, R. E.; Harmer, R. E.; Blenkinsop, T. G.; Bullen, Dean; Dalziel, I. W. D.; Gose, W. A.; Hall, R. P.; Kampunzu, A. B.; Key, R. M.; Mukwakwami, J.; Munyanyiwa, H.; Pancake, J. A.; Seidel, E. K.; Ward, S. E. 2006. Mesoproterozoic intraplate magmatism in the Kalahari Craton: A review. *Journal of African Earth Sciences*, 46(1–2), 141–167.
- Hanson, R. E., Wardlaw, M. S., Wilson, T. J., Mwale, G. 1993. U-Pb zircon ages from the Hook granite massif and Mwembeshi dislocation: constraints on Pan-African deformation, plutonism, and transcurrent shearing in Central Zambia. *Precambrian Research*, 63(3–4), 189–209.
- Hanson, R. E., Wilson, T. J., Brueckner, H. K., Onstott, T. C., Wardlaw, M. S., Johns, C. C., Hardcastle, K. C. 1988. Reconnaissance geochronology, tectonothermal evolution, and regional significance of the Middle Proterozoic Choma-Kalomo block, southern Zambia. *Precambrian Research*, 42(1–2), 39–61.
- Hargrove, U.S., Stern, R.J., Kimura, J.-I., Manton, W.I., Johnson, P.R. 2006. How juvenile is the Arabian–Nubian Shield? Evidence from Nd isotopes and Pre-Neoproterozoic inherited zircon in the Bi'r Umq suture zone, Saudi Arabia. *Earth and Planetary Science Letters* 252, 308–326.
- Hartzer, F. J., and Dixon, E. R. 2009. Geological map of the Southern African Development Community (SADC) countries. South Africa: Council of Geoscience.
- Hicks, N., Dunlevey, J. N., Liu, K. W. 2011. A New Stromatolite Occurrence in the Nsuze Group, Pongola Supergroup of Northern Kwazulu-Natal, South Africa. *South African Journal of Geology*, 114(2), 195–200. <https://doi.org/10.2113/gssajg.114.2.195>
- Hill, R. S. 1972. The geology of the northern Algoa basin, Port Elizabeth. Stellenbosch: Stellenbosch University.

- Hein, K.A.A. and Tshibubudze 2015. Manganese deposits of the Oudalan province in the northeast of Burkina Faso, and Ansongo Inlier in eastern Mali. *Ore Geology Reviews* 78, 645-651.
- Hoal, B. G., and Heaman, L. M. 1995. The Sinclair Sequence: U-Pb age constraints from the Awasib Mountain area. *Communications of the Geological Survey of Namibia*, 10, 83-91.
- Hunter, D. R. 1981. *Precambrian of the southern hemisphere* (Vol. 2). Elsevier.
- Ibinoof, M.A., Bumby, A.J., Grantham, G.H., Abdelrahman E.M., Eriksson, P.G., le Roux, P.J. 2016. Geology, geochemistry and Sr-Nd constraints of selected metavolcanic rocks from the eastern boundary of the Saharan Metacraton, southern Sudan: A possible revision of the eastern boundary. *Precambrian Research* 281, 566-584.
- Ishihara, S., Anhaeusser, C. R., Robb, L. J. 2002. Granitoid-series Evaluation of the Archaean Johannesburg Dome Granitoid, South Africa. *Bulletin-Geological Survey Japan*, 53(1), 1-10.
- Jacobs, L., Winkler, D. A., Downs, W. R., Gomani, E. M. 1993. New material of an Early Cretaceous titanosaurid sauropod dinosaur from Malawi. *Palaeontology*, 36, 523.
- Jaguin, J., Boulvais, P., Poujol, M., Bosse, V., Paquette, J.-L., Vilbert, D. 2013. Albitization in the Antimony Line, Murchison Greenstone Belt (Kaapvaal Craton): A geochemical and geochronological investigation. *Lithos*, 168-169, 124-143. <https://doi.org/10.1016/j.lithos.2013.01.010>
- Jelsma, H. A., Perrit, S. H., Armstrong, R., Ferreira, H. F. 2011. Shrimp U-Pb zircon geochronology of basement rocks of the Angolan Shield, western Angola. Abstract, 23rd CAG, Johannesburg, 8th-14th January.
- Jessel, M.W.; Begg, G.C.; Miller, M.S. 2016. The geophysical signatures of the West African Craton. *Precambrian Research*, 274,3-24.
- Jessel, M.W.; Amponsah, P.O.; Baratoux, L.; Asiedu, D.K.; Lohd, G.K.; Ganne, J. 2012. Crustal-scale transcurrent shearing in the Paleoproterozoic Sefwi-Sunyani-Comoe region, West Africa. *Precambrian Research*, (212-213), 155-168.
- Johnson, M. R., Wolmarans, G. L., Thomas, C. 2008. Chronostratigraphic Map of the Republic of South Africa and the Kingdoms of Lesotho and Swaziland. South Africa: Council for Geoscience.
- Johnson, M. R., Wolmarans, G. L., Thomas, C. 2008. Simplified Geological map of the Republic of South Africa and the Kingdoms of Lesotho and Swaziland. South Africa: Council for Geoscience.
- Johnson, P. R. 2006. Explanatory notes to the map of Proterozoic geology of western Saudi Arabia. Saudi Geological Survey Technical Report SGS-TR-2006-4, 62.
- Johnson, P.R., Andersen, A., Collins, A.S., Fowler, A.R., Fritz, A., Ghebreab, W., Kusky, T., Stern, R.J. 2011. Late Cryogenian-Ediacaran history of the Arabian-Nubian Shield: A review of depositional, plutonic, structural, and tectonic events in the closing stages of the northern East African Orogen. *Journal of African Earth Sciences* 61, 167-232.

- Johnson, S. P., De Waele, B., Evans, D., Banda, W., Tembo, F., Milton, J. A., Tani, K. 2007. Geochronology of the Zambezi supracrustal sequence, southern Zambia: a record of Neoproterozoic divergent processes along the southern margin of the Congo Craton. *The Journal of Geology*, 115(3), 355–374.
- Kabete, J. M., Groves, D. I., McNaughton, N. J., Mruma, A. H. 2012. A new tectonic and temporal framework for the Tanzanian Shield: implications for gold metallogeny and undiscovered endowment. *Ore Geology Reviews*, 48, 88–124.
- Kahoui, M. and Mahdjoub, Y. 2004. An Eburnian alkaline–peralkaline magmatism in the Reguibat rise: the Djebel Drissa ring complex (Eglat Shield, Algeria). *Journal of African Earth Sciences* 39, 115–122.
- Kalsbeek, F., Frei, and D., Affaton, P. 2008. Constraints on provenance, stratigraphic correlation and structural context of the Volta basin, Ghana, from detrital zircon geochronology: an Amazonian connection?. *Sedimentary Geology* 212, 86–95.
- Kalsbeek, F. and Frei, R. 2010. Geochemistry of Precambrian sedimentary rocks used to solve stratigraphical problems: An example from the Neoproterozoic Volta basin, Ghana. *Precambrian Research* 176, 65–76.
- Kalsbeek, F., Affaton, P., Ekwueme, B., Frei, R., Thrane, K. 2012. Geochronology of granitoid and metasedimentary rocks from Togo and Benin, West Africa: Comparisons with NE Brazil. *Precambrian Research* 196–197, 218–233.
- Kato, Y., Ozawa, H., Daas, M.A., El Gameel Kh. 2014. SIMS zircon U–Pb and mica K–Ar geochronology, and Sr–Nd isotope geochemistry of Neoproterozoic granitoids and their bearing on the evolution of the north Eastern Desert, Egypt. *Gondwana Research* 25, 1570–1598.
- Kendall, B., Van Acken, D., Creaser, R. A. 2013. Depositional age of the early Paleoproterozoic Klippits Member, Nelani Formation (Ghaap Group, Transvaal Supergroup, South Africa) and implications for low-level Re–Os geochronology and Paleoproterozoic global correlations. *Precambrian Research*, 237, 1–12. <https://doi.org/https://doi.org/10.1016/j.precamres.2013.08.002>
- Key, R.M., Loughlin, S.C., Gillespie, M., Del Rio, M., Horstwood, M.S.A., Crowley, Q.G., Darbyshire, S.P.F., Pitfield, P.E.J., Henney, P.J. 2002. Two Mesoarchean terranes in the Reguibat shield of NW Mauritania. British Geological Survey, Natural Environmental Research Council (NERC), NIGL Publication 670.
- Key, R M., Smith, R A, Smelror, M., Powell, J H., Thorsnes, T.b, Njange, F., Sæther, O.M., Zandamela, E B. 2008. Revised lithostratigraphy of the Mesozoic-Cenozoic succession of the onshore Rovuma Basin, northern coastal Mozambique. *South African Journal of Geology*, 111(1), 89 LP-108. Retrieved from <http://sajg.geoscienceworld.org/content/111/1/89.abstract>
- Key, R.M., Johnson, C.C., Horstwood, M.S.A., Lapworth, D.J., Knights, K. V., Kemp, S. J., Watts M., Martin, G., Adekanmi M., Arisekola T. 2012. Investigating high zircon concentrations in the fine fraction of stream sediments draining the Pan-African Dahomeyan Terrane in Nigeria. *Applied Geochemistry* 27, 1525–1539.
- Khalaf, E.A., and Obeid, M.A. 2013. Tectonostratigraphy and depositional history of the Neoproterozoic volcano-sedimentary sequences in Kid area, southeastern

- Sinai, Egypt: Implications for intra-arc to foreland basin in the northern Arabian–Nubian Shield. *Journal of Asian Earth Sciences* 73, 473–503.
- Kobrick, M., Crippen, R. 2010. SRTMGL3: NASA Shuttle Radar Topography Mission Global 3 arc second V003. NASA EOSDIS Land Processes DAAC. <https://doi.org/10.5067/MEaSURES/SRTM/SRTMGL3.003>
- Kock, G.S. de; Théveniaut, H.; Botha, P.M.W.; Gyapong, W. 2012. Timing the structural events in the Palaeoproterozoic Bolé–Nangodi belt terrane and adjacent Maluwe basin, West African craton, in central-west Ghana. *Journal of African Earth Sciences* 65, 1–24.
- Koegelenberg, C., Kisters, A. F. M., Kramers, J. D., Frei, D. 2015. U–Pb detrital zircon and 39 Ar–40 Ar muscovite ages from the eastern parts of the Karagwe-Ankole Belt: Tracking Paleoproterozoic basin formation and Mesoproterozoic crustal amalgamation along the western margin of the Tanzania Craton. *Precambrian Research*, 269, 147–161.
- Koistinen, T., Lehtonen, M. I., Fernando, S., Matola, R. 2008. Contribution to the structure at the eastern margin of the Archaean Zimbabwe Craton, Mozambique. *Geological Survey of Finland Special Paper*, 48, 121–144.
- Kokonyangi, J. W., Kampunzu, A. B., Armstrong, R., Arima, M., Yoshida, M., Okudaira, T. 2007. U–Pb SHRIMP dating of detrital zircons from the Nzilo Group (Kibaran Belt): implications for the source of sediments and Mesoproterozoic evolution of central Africa. *The Journal of Geology*, 115(1), 99–113.
- Kokonyangi, J. W., Kampunzu, A. B., Armstrong, R., Yoshida, M., Okudaira, T., Arima, M., Ngulube, D. A. 2006. The Mesoproterozoic Kibaride belt (Katanga, SE DR Congo). *Journal of African Earth Sciences*, 46(1), 1–35.
- Kositcin, N., and Krapež, B. 2004. Relationship between detrital zircon age-spectra and the tectonic evolution of the Late Archaean Witwatersrand Basin, South Africa. *Precambrian Research*, 129(1–2), 141–168. <https://doi.org/10.1016/j.precamres.2003.10.011>
- Kramers, J. D., and Mouri, H. 2011. The geochronology of the Limpopo Complex: a controversy solved. *Geological Society of America Memoirs*, 207, 85–106.
- Kristoffersen, Y., Hofstede, C., Diez, A., Blenkner, R., Lambrecht, A., Mayer, C., Eisen, O. 2014. Reassembling Gondwana: A new high quality constraint from vibroseis exploration of the sub-ice shelf geology of the East Antarctic continental margin. *Journal of Geophysical Research: Solid Earth*, 119(12), 9171–9182.
- Kröner, A., Jaekel, P., Hofmann, A., Nemchin, A. A., Brandl, G. 1998. Field relationships and age of supracrustal Beit Bridge Complex and associated granitoid gneisses in the Central Zone of the Limpopo Belt, South Africa. *South African Journal of Geology*, 101(3), 201. Retrieved from <http://sajg.geoscienceworld.org/content/101/3/201.abstract>
- Kröner, A., Jaekel, P., Brandl, G. 2000. Single zircon ages for felsic to intermediate rocks from the Pietersburg and Giyani greenstone belts and bordering granitoid orthogneisses, northern Kaapvaal Craton, South Africa. *Journal of African Earth Sciences*, 30(4), 773–793. [https://doi.org/http://dx.doi.org/10.1016/S0899-5362\(00\)00052-X](https://doi.org/http://dx.doi.org/10.1016/S0899-5362(00)00052-X)

- Kröner, A., Ekwueme, B.N., Pidgeon, R.T., 2001. The Oldest Rocks in West Africa: SHRIMP Zircon Age for Early Archean Migmatitic Orthogneiss at Kaduna, Northern Nigeria. *The Journal of Geology* 109, 399-406.
- Kröner, A., and Cordani, U. 2003. African, southern Indian and South American cratons were not part of the Rodinia supercontinent: evidence from field relationships and geochronology. *Tectonophysics*, 375(1), 325–352.
- Kuster, D. and Liégeois, J-P. 2001. Sr, Nd isotopes and geochemistry of the Bayuda Desert high-grade metamorphic basement (Sudan): an early Pan-African oceanic convergent margin, not the edge of the East Saharan ghost craton?. *Precambrian Research* 109, 1-23.
- Kuster, D., Liégeois, J-P., Matukov, D., Sergeev, S., Lucassen, F. 2008. Zircon geochronology and Sr, Nd, Pb isotope geochemistry of granitoids from Bayuda Desert and Sabaloka (Sudan): Evidence for a Bayudian event (920–900 Ma) preceding the Pan-African orogenic cycle (860–590 Ma) at the eastern boundary of the Saharan Metacraton. *Precambrian Research* 164, 16-39.
- Labandeira, C. C. 2013. Deep-time patterns of tissue consumption by terrestrial arthropod herbivores. *Naturwissenschaften*, 100(4), 355–364.
- Laurent, O., Paquette, J.-L., Martin, H., Doucelance, R., Moyen, J.-F. 2013. LA-ICP-MS dating of zircons from Meso- and Neoproterozoic granitoids of the Pietersburg block (South Africa): Crustal evolution at the northern margin of the Kaapvaal craton. *Precambrian Research*, 230, 209–226. <https://doi.org/10.1016/j.precamres.2013.02.009>
- Lehmann, J., Saalman, K., Naydenov, K.V., Milani, L., Belyanin, G.A., Zwingmann, H., Charlesworth, G., and Kinnaird, J.A. 2016. Structural and geochronological constraints on the Pan-African tectonic evolution of the northern Damara Belt, Namibia. *Tectonics*, 35(1), 103–135. <https://doi.org/10.1002/2015TC003899>
- Liégeois, J.P., Latouche, L., Boughrara, M., Navez, J., Guiraud, M. 2003. The LATEA metacraton (Central Hoggar, Tuareg Shield, Algeria): behaviour of an old passive margin during the Pan-African orogeny. *Journal of African Earth Sciences* 37, 161-190.
- Lindeque, A., de Wit, M. J., Ryberg, T., Weber, M., & Chevallier, L. 2011. Deep crustal profile across the southern Karoo Basin and Beattie Magnetic Anomaly, South Africa: an integrated interpretation with tectonic implications. *South African Journal of Geology*, 114(3–4), 265–292.
- Linol, B., de Wit, M. J., Barton, E., Guillocheau, F., de Wit, M. C. J., Colin, J.-P. 2015. Facies analyses, chronostratigraphy and paleo-environmental reconstructions of Jurassic to Cretaceous sequences of the Congo basin. In *Geology and Resource Potential of the Congo Basin* (pp. 135–161). Springer.
- Lombard, J., and Furon, R. 1963. Carte géologique de l'Afrique: Geological map of Africa. *African Geological Surveys - Unesco*.
- Macey, P. H., Minnaar, H., Miller, J. A., Lambert, C., Kisters, A. F. M., Diener, J., Angombe, M. 2015. The Precambrian geology of the Warmbad region, southern Namibia. *An Interim Explanation to*, 1(50,000).
- Macey, P. H., Thomas, R. J., Grantham, G. H., Ingram, B. A., Jacobs, J., Armstrong, R. A., De Kock, G. S. 2010. Mesoproterozoic geology of the Nampula Block, northern

- Mozambique: Tracing fragments of Mesoproterozoic crust in the heart of Gondwana. *Precambrian Research*, 182(1), 124–148.
- Macey, P. H., Thomas, R. J., Minnaar, H. M., Gresse, P. G., Lambert, C. W., Groenewald, C. A., Shifotoka, G. 2017. Origin and evolution of the 1.9 Ga Richtersveld Magmatic Arc, SW Africa. *Precambrian Research*, 292, 417–451.
- Malomo, S. 2004. National Geological Map of Nigeria, Scale 1:2,000,000. Nigerian Geological Survey Agency, Abuja, Nigeria.
- Mänttari, I., Koistinen, T., Lehtonen, M. I., Manninen, T., Mäkitie, H., Huhma, H., Kuosmanen, E. 2006. U-Pb and Sm-Nd ages for 27 magmatic rocks, NW Mozambique. In 21st Colloquium of African Geology. Maputo, Mozambique, 0.3 (Vol. 5, pp. 203–205).
- Manttarri, I. 2008. Mesoarchaean to Lower Jurassic U-Pb and Sm-Nd ages from NW Mozambique. *Geological Survey of Finland Special Paper*, 48, 81–119.
- Manya, S., and Maboko, M. A. H. 2008. Geochemistry and geochronology of Neoproterozoic volcanic rocks of the Iramba-Sekenke greenstone belt, central Tanzania. *Precambrian Research*, 163(3), 265–278. <https://doi.org/10.1016/j.precamres.2008.01.001>
- Manzi, M. S. D., Hein, K. A. A., King, N., Durrheim, R. J. 2013. Neoproterozoic tectonic history of the Witwatersrand Basin and Ventersdorp Supergroup: New constraints from high-resolution 3D seismic reflection data. *Tectonophysics*, 590, 94–105. <https://doi.org/10.1016/j.tecto.2013.01.014>
- Mapani, B., Cornell, D., van Schijndel, V. 2014. Geochronology and tectonic evolution of the Hohewarte Complex, central Namibia: New insights in Paleoproterozoic to Early Neoproterozoic crustal accretion processes. *Journal of African Earth Sciences*, 99, Part 2, 228–244. <https://doi.org/10.1016/j.jafrearsci.2014.06.021>
- Master, S., Bekker, A., Hofmann, A. 2010. A review of the stratigraphy and geological setting of the Palaeoproterozoic Magondi Supergroup, Zimbabwe-Type locality for the Lomagundi carbon isotope excursion. *Precambrian Research*, 182(4), 254–273.
- McCourt, S., Armstrong, R. A., Jelsma, H., & Mapeo, R. B. M. 2013. New U-Pb SHRIMP ages from the Lubango region, SW Angola: insights into the Palaeoproterozoic evolution of the Angolan Shield, southern Congo Craton, Africa. *Journal of the Geological Society*, 170(2), 353–363.
- McKay, M. P., Weislogel, A. L., Fildani, A., Brunt, R. L., Hodgson, D. M., Flint, S. S. 2015. U-PB zircon tuff geochronology from the Karoo Basin, South Africa: implications of zircon recycling on stratigraphic age controls. *International Geology Review*, 57(4), 393–410.
- Meert, J. G., Eide, E. A., Torsvik, T. H. 1997. The Nama Group revisited. *Geophysical Journal International*, 129(3), 637–650. <https://doi.org/10.1111/j.1365-246X.1997.tb04499.x>
- Metelka, V., Baratoux, L., Jessell, M.W., Naba, S. 2015. Visible and infrared properties of unaltered to weathered rocks from Precambrian granite-greenstone terrains of the West African Craton, *Journal of African Earth Sciences*, doi: 10.1016/j.jafrearsci.2015.10.003.

- Milési, J.P., Ledru, P., Feybesse, J.L., Dommange, A., Marcoux, E. 1992. Early Proterozoic ore deposits and tectonics of the Birimian orogenic belt, West Africa. *Precambrian Research*, 58, 305–344.
- Milési, J. P., Feybesse, J. L., Pinna, P., Deschamps, Y., Kampunzu, H., Muhongo, S., Lescuyer, J. L., Le Goff, E., Delor, C., Billa, M. 2004. Geological map of Africa 1: 10,000,000, SIGAfric project. In 20th Conference of African Geology, BRGM, Orléans, France (pp. 2–7).
- Milesi, J.P., Frizon de Lamotte, D., De Kock, G., and Toteu, F., 2010, Tectonic Map of Africa: CCGM/CCGM.
- Miller, R. M. 2012. Review of Mesoproterozoic magmatism, sedimentation and terrane amalgamation in southwestern Africa. *South African Journal of Geology*, 115(4), 417–448.
- Miller, R. M. 2013. Comparative stratigraphic and geochronological evolution of the Northern Damara Supergroup in Namibia and the Katanga Supergroup in the Lufilian Arc of Central Africa. *Geoscience Canada*, 40(2), 118–140.
- Miller, W., Armstrong, R., de Wit, M. J. 2016. Geology and U/Pb geochronology of the Gamtoos Complex and lower Paleozoic Table Mountain Group, Cape Fold Belt, Eastern Cape, South Africa. *South African Journal of Geology*, 119(1), 147. Retrieved from <http://sajg.geoscienceworld.org/content/119/1/147.abstract>
- Moabi, N. G., Grantham, G. H., Roberts, J., le Roux, P., Matola, R. 2015. The geology and geochemistry of the Espungabera Formation of central Mozambique and its tectonic setting on the eastern margin of the Kalahari Craton. *Journal of African Earth Sciences*, 101, 96–112.
- Montero, P., Haissen, F., El Archi, A., Rjimati, E., Bea, F. 2014. Timing of Archean crust formation and cratonization in the Awsard-Tichla zone of the NW Reguibat Rise, West African Craton. A SHRIMP, Nd–Sr isotopes, and geochemical reconnaissance study. *Precambrian Research* 242, 112–137.
- Montero, P., Haissen, F., Mouttaqi, A., Molina, J.F., Errami, A., Sadki, O., Cambeses, A., Bea, F. 2016. Contrasting SHRIMP U–Pb zircon ages of two carbonatite complexes from the peri-cratonic terranes of the Reguibat Shield: Implications for the lateral extension of the West African Craton. *Gondwana Research*.
- Morag, N., Avigad, D., Gerdes, A., Harlavan, Y. 2012. 1000–580 Ma crustal evolution in the northern Arabian-Nubian Shield revealed by U–Pb–Hf of detrital zircons from late Neoproterozoic sediments (Elat area, Israel). *Precambrian Research* 208–211, 197–212.
- Morand, V. J. 1990. Low pressure regional metamorphism in the Omeo Metamorphic Complex, Victoria, Australia. *Journal of Metamorphic Geology*, 8(1), 1–12.
- Mountney, N., Howell, J., Flint, S., Jerram, D. 1998. Aeolian and alluvial deposition within the Mesozoic Etjo Sandstone Formation, northwest Namibia. *Journal of African Earth Sciences*, 27(2), 175–192. [https://doi.org/http://dx.doi.org/10.1016/S0899-5362\(98\)00056-6](https://doi.org/http://dx.doi.org/10.1016/S0899-5362(98)00056-6)
- Mruma, A. H. 1995. Stratigraphy and palaeodepositional environment of the Palaeoproterozoic volcano-sedimentary Konse Group in Tanzania. *Journal of African Earth Sciences*, 21(2), 281–290.

- Mukasa, S. B., Wilson, A. H., Young, K. R. 2013. Geochronological constraints on the magmatic and tectonic development of the Pongola Supergroup (Central Region), South Africa. *Precambrian Research*, 224, 268–286. <https://doi.org/http://doi.org/10.1016/j.precamres.2012.09.015>
- Mungall, J. E., Kamo, S. L., McQuade, S. 2016. U-Pb geochronology documents out-of-sequence emplacement of ultramafic layers in the Bushveld Igneous Complex of South Africa. *Nat Commun*, 7, 13385. <https://doi.org/10.1038/ncomms13385>
- Munyanyiwa, H., and Blenkinsop, T. G. 1994. Pan-African structures and metamorphism in the Makuti group, north-west Zimbabwe. *Journal of African Earth Sciences*, 19(3), 185–198. [https://doi.org/10.1016/0899-5362\(94\)90060-4](https://doi.org/10.1016/0899-5362(94)90060-4)
- Naidoo, T., Zimmermann, U., Chemale, F. 2013. The evolution of Gondwana: U–Pb, Sm–Nd, Pb–Pb and geochemical data from Neoproterozoic to Early Palaeozoic successions of the Kango Inlier (Saldania Belt, South Africa). *Sedimentary Geology*, 294, 164–178.
- Nethenzheni, S. S. 2016. The geochemistry, geochronology and petrogenetic characteristics of two granitic suites on the eastern margin of the Namaqua Sector, Namaqua-Natal Mobile Belt, South Africa. University of the Western Cape.
- Oosthuyzen, E. J., and Burger, A. J. 1964. Radiometric dating of intrusives associated with the Waterberg System. *Annals of the Geological Survey of South Africa*, 3, 87–106.
- Parra-Avila, L.A.; Belousova, E.; Fiorentini, M.L.; Baratouw, L.; Davis, J.; Miller, J.; McCuaig, T.C. 2016. Crustal evolution of the Paleoproterozoic Birimian terranes of the Baoulé-Mossi domain, southern West African Craton: U–Pb and Hf-isotope studies of detrital zircons. *Precambrian Research* 274, 25-60.
- Pellenard, P., Gand, G., Schmitz, M., Galtier, J., Broutin, J., Stéyer, J.-S. 2017. High-precision U-Pb zircon ages for explosive volcanism calibrating the NW European continental Autunian stratotype. *Gondwana Research*, 51, 118–136. <https://doi.org/https://doi.org/10.1016/j.gr.2017.07.014>
- Persits, F. M., Ahlbrandt, T. S., Tuttle, M. L. W., Charpentier, R. R., Brownfield, M. E., Takahashi, K. 1997. Maps showing geology, oil and gas fields and geological provinces of Africa. Geological Survey (US).
- Peucat, J.-J., Capdevila, R., Drareni, A., Mahdjoub, Y., Kahoui, M. 2005. The Eglab massif in the West African Craton (Algeria), an original segment of the Eburnean orogenic belt: petrology, geochemistry and geochronology. *Precambrian Research* 136, 309-352.
- Pitra, P.; Kouamelan, A.N.; Ballèvre, M.; Peucat, J.-J., 2010. Palaeoproterozoic high-pressure granulite overprint of the Archean continental crust: evidence for homogeneous crustal thickening (Man Rise, Ivory Coast). *Journal of Metamorphic Geology* 28, 41-58.
- Potrel, A.; Peucat, J.J.; Fanning, C.M. 1998. Archean crustal evolution of the West African Craton: example of the Amsaga Area (Reguibat Rise). U-Pb and Sm-Nd evidence for crustal growth and recycling. *Precambrian Research* 90, 107-117.

- Poujol, M., and Anhaeusser, C. R. 2001. The Johannesburg Dome, South Africa: new single zircon U-Pb isotopic evidence for early Archaean granite-greenstone development within the central Kaapvaal Craton. *Precambrian Research*, 108(1-2), 139-157. [https://doi.org/10.1016/s0301-9268\(00\)00161-3](https://doi.org/10.1016/s0301-9268(00)00161-3)
- Poujol, M., and Robb, L. J. 1999. New U-Pb zircon ages on gneisses and pegmatite from south of the Murchison greenstone belt, South Africa. *South African Journal of Geology*, 102(2), 93. Retrieved from <http://sajg.geoscienceworld.org/content/102/2/93.abstract>
- Poujol, M., Robb, L. J., Anhaeusser, C. R., Gericke, B. 2003. A review of the geochronological constraints on the evolution of the Kaapvaal Craton, South Africa. *Precambrian Research*, 127(1-3), 181-213. [https://doi.org/10.1016/s0301-9268\(03\)00187-6](https://doi.org/10.1016/s0301-9268(03)00187-6)
- Pownall, J. M., Hall, R., Armstrong, R. A. 2017. Hot Iherzolite exhumation, UHT migmatite formation, and acid volcanism driven by Miocene rollback of the Banda Arc, eastern Indonesia. *Gondwana Research*, 51, 92-117. <https://doi.org/https://doi.org/10.1016/j.gr.2017.07.003>
- Rainaud, C., Master, S., Armstrong, R. A., Robb, L. J. 2005. Geochronology and nature of the Palaeoproterozoic basement in the Central African Copperbelt (Zambia and the Democratic Republic of Congo), with regional implications. *Journal of African Earth Sciences*, 42(1), 1-31.
- Reid, D. L., Ransome, I. G. D., Onstott, T. C., Adams, C. J. 1991. Time of emplacement and metamorphism of Late Precambrian mafic dykes associated with the Pan-African Gariep orogeny, Southern Africa: implications for the age of the Nama Group. *Journal of African Earth Sciences (and the Middle East)*, 13(3), 531-541. [https://doi.org/http://dx.doi.org/10.1016/0899-5362\(91\)90116-G](https://doi.org/http://dx.doi.org/10.1016/0899-5362(91)90116-G)
- Renne, P. R., Deckart, K., Ernesto, M., Fe, G., Piccirillo, E. M. 1996. Age of the Ponta Grossa dike swarm (Brazil), and implications to Paraná flood volcanism. *Earth and Planetary Science Letters*, 144(1-2), 199-211.
- Renne, P. R., Glen, J. M., Milner, S. C., Duncan, A. R. 1996. Age of Etendeka flood volcanism and associated intrusions in southwestern Africa. *Geology*, 24(7), 659-662.
- Robb, L. J., Armstrong, R. A., Waters, D. J. 1999. The history of granulite-facies metamorphism and crustal growth from single zircon U-Pb geochronology: Namaqualand, South Africa. *Journal of Petrology*, 40(12), 1747-1770.
- Rollison, H. 2016. Archean Crustal evolution in West Africa: A new synthesis of the Archean geology in Sierra Leone, Liberia, Ghana and Ivory Coast. *Precambrian Research*, 281, 1-12.
- Saggerson, E. P., and Bristow, J. W. 1983. The geology and structural relationships of the southern Lebombo volcanic and intrusive rocks, South Africa. *Bulletin Volcanologique*, 46(2), 161. <https://doi.org/10.1007/BF02597583>
- Salomon, E., Passchier, C., Koehn, D. 2017. Asymmetric continental deformation during South Atlantic rifting along southern Brazil and Namibia. *Gondwana Research*, 51, 170-176. <https://doi.org/https://doi.org/10.1016/j.gr.2017.08.001>

- Samuel, M.D., Be'eri-Shlevin, Y., Azer, M.K., Whitehouse, M.J., Moussa, H.E. 2011. Provenance of conglomerate clasts from the volcano-sedimentary sequence at Wadi Rutig in southern Sinai, Egypt as revealed by SIMS U–Pb dating of zircon. *Precambrian Research* 20, 450-464.
- Schaller, M., Steiner, O., Studer, I., Holzer, L., Herwegh, M., Kramers, J. D. 1999. Exhumation of Limpopo Central Zone granulites and dextral continent-scale transcurrent movement at 2.0 Ga along the Palala shear zone, Northern Province, South Africa. *Precambrian Research*, 96(3), 263–288.
- Scheepers, R., and Armstrong, R. 2002. New U-Pb SHRIMP zircon ages of the Cape Granite Suite: implications for the magmatic evolution of the Saldania Belt. *South African Journal of Geology*, 105(3), 241. Retrieved from <http://sajg.geoscienceworld.org/content/105/3/241.abstract>
- Schmitt, A. K., Emmermann, R., Trumbull, R. B., Bühn, B., Henjes-Kunst, F. 2000. Petrogenesis and $^{40}\text{Ar}/^{39}\text{Ar}$ Geochronology of the Brandberg Complex, Namibia: Evidence for a Major Mantle Contribution in Metaluminous and Peralkaline Granites. *Journal of Petrology*, 41(8), 1207–1239. Retrieved from <http://dx.doi.org/10.1093/petrology/41.8.1207>
- Schoene, B., de Wit, M. J., Bowring, S. A. 2008. Mesoarchean assembly and stabilization of the eastern Kaapvaal craton: A structural-thermochronological perspective. *Tectonics*, 27(5), n/a-n/a. <https://doi.org/10.1029/2008tc002267>
- Schofield, D.I. and Gillespie, M.R. 2007. A tectonic interpretation of "Eburnean terrane" outliers in the Reguibat Shield, Mauritania. *Journal of African Earth Sciences*, 49, 179-186.
- Schofield, D.I.; Horstwood, M.S.A.; Pitfield, P.E.J.; Gillespie, M.; Darbyshire, F., O'Connor, E.A.; Abdouloye, T.B. 2012. U–Pb dating and Sm–Nd isotopic analysis of granitic rocks from the Tiris Complex: New constraints on key events in the evolution of the Reguibat Shield, Mauritania. *Precambrian Research*, 204-205, 1-11.
- Shang, C.K., Satir, M., Morteani, G., Taubald, H. 2010. Zircon and titanite age evidence for coeval granitization and migmatization of the early Middle and early Late Proterozoic Saharan Metacraton, example from the central North Sudan basement. *Journal of African Earth Sciences*, 57, 492-524.
- Soulamani, A. Michard, A.; Ouanaimi, H.; Baidder, L.; Raddi, Y.; Saddiqi, O.; Rjimati, E.C. 2014. Late Ediacaran-Cambrian structures and their reactivation during the Variscan and Alpine cycles in the Anti-Atlas (Marroco). *Journal of African Earth Sciences*, 98, 94-112.
- Soumaila, A.; Henry, P.; Garba, Z.; Rossi, M. 2008. REE patterns, Nd –Sm and U –Pb ages of the metamorphic rocks of the Diagorou–Darbani greenstone belt (Liptako, SW Niger): implication for Birimian (Palaeoproterozoic) crustal genesis. Geological Society, London, Special Publications 297 1-19.
- Stankiewicz, J., and de Wit, M. 2013. 3.5 billion years of reshaped Moho, southern Africa. *Tectonophysics*, 609, 675–689.
- Stern, R.J., and Hedge, C.E. 1985. Geochronologic and isotopic constraints on late Precambrian crustal evolution in the Eastern Desert of Egypt. *American Journal of Sciences* 285, 97–127.

- Stern, R.J., Ali, K.A., Abdelsalam, M. G., Wilde, S.A., Zhou Q. 2012. U-Pb zircon geochronology of the eastern part of the Southern Ethiopian Shield. *Precambrian Research* 206-207, 159-167.
- Steven, N., and Armstrong, R. A. 2002. The potential for clastic-hosted zinc deposits in the upper Khoabendus Group near Kamanjab, NW Namibia. In 11th IAGOD Quadrennial Symposium and Geocongress, Windhoek, Namibia.
- Steven, N., Armstrong, R., Smalley, T., Moore, J. 2000. First geological description of a Late Proterozoic (Kibaran) metabasaltic andesite-hosted chalcocite deposit at Omitionire, Namibia. *Geology and Ore Deposits*, 711-734.
- Thiéblemont, D., Delor, C., Cocherie, A., Lafon, J.M., Goujou, J.C., Balde', A., Bah, M., Sane', H., Fanning, C.M. 2001. A 3.5 Ga granite-gneiss basement in Guinea: further evidence for early Archean accretion within the West African Craton. *Precambrian Research*, 108, 179-194.
- Thiéblemont, D.; Goujou, J.C.; Egal, E.; Cocherie, A.; Delor, C.; Lafon, J.M.; Fanning, C.M. 2014. Archean evolution of the Leo Rise and its Eburnean reworking. *Journal of African Earth Sciences*, 39, 97-104.
- Thiéblemont D. (edit.) 2016. Geological Map of Africa at 1:10 M scale, CGMW-BRGM. ISBN: 9782917310328. doi: 10.14682/2016GEOAFR.
- Thomas, R. J., Bushi, Horstwood, Kajara, Macheyek, A. S. 2014. Geological mapping and geochronology of the central Tanzania Craton and the East African Orogen in the Handeni area.
- Thomas, R. J., and Eglington, B. M. 1990. A Rb-Sr, Sm-Nd and U-Pb zircon isotopic study of the Mzumbe Suite, the oldest intrusive granitoid in southern Natal, South Africa. *South African Journal of Geology*, 93(5-6), 761. Retrieved from <http://sajg.geoscienceworld.org/content/93/5-6/761.abstract>
- Thomas, R. J., and Eglington, B. M. 1990. A Rb-Sr, Sm-Nd and U-Pb zircon isotopic study of the Mzumbe Suite, the oldest intrusive granitoid in southern Natal, South Africa. *South African Journal of Geology*, 93(5-6), 761. Retrieved from <http://sajg.geoscienceworld.org/content/93/5-6/761.abstract>
- Thomas, R. J., Macey, P. H., Spencer, C., Dhansay, T., Diener, J. F. A., Lambert, C. W., ... Nguno, A. 2016. The Sperrgebiet Domain, Aurus Mountains, SW Namibia~A 2020-850Ma window within the Pan-African Gariep Orogen. *Precambrian Research*, 286, 35-58.
- Toteu, S. F., Fouateu, R. Y., Penaye, J., Tchakounte, J., Mouangue, A. C. S., Van Schmus, W. R., Stendal, H. 2006. U-Pb dating of plutonic rocks involved in the nappe tectonic in southern Cameroon: consequence for the Pan-African orogenic evolution of the central African fold belt. *Journal of African Earth Sciences*, 44(4), 479-493. <https://doi.org/http://dx.doi.org/10.1016/j.jafrearsci.2005.11.015>
- Tshibubudze, A. and Hein, K.A.A. 2016. Gold mineralisation in the Essakane goldfield in Brukina Faso, West African Craton. *Ore Geology Reviews* 78, 652-659.
- Unrug, R. 1996. Geodynamic map of Gondwana supercontinent assembly. Council for Geoscience.

- Van Schijndel, V., Cornell, D. H., Frei, D., Simonsen, S. L., Whitehouse, M. J. 2014. Crustal evolution of the Rehoboth Province from Archaean to Mesoproterozoic times: insights from the Rehoboth Basement Inlier. *Precambrian Research*, 240, 22–36.
- Verwoerd, W. J. 2008. The Goudini Carbonatite Complex, South Africa: A Re-appraisal. *The Canadian Mineralogist*, 46(4), 825–830. <https://doi.org/10.3749/canmin.46.4.825>
- Villeneuve, M. 2008. Review of the orogenic belts on the western side of the West African craton : the Bassarides, Rokelides and Mauritanides. From: Ennih, N. & Liégeois, J.-P. (eds) *The Boundaries of the West African Craton*. Geological Society, London, Special Publications, 297, 169-201.
- Vorster, C., Kramers, J. A. N., Beukes, N. I. C., Van Niekerk, H. 2015. Detrital zircon U–Pb ages of the Palaeozoic Natal Group and Msikaba Formation, Kwazulu-Natal, South Africa: provenance areas in context of Gondwana. *Geological Magazine*, 153(3), 460–486. <https://doi.org/10.1017/S0016756815000370>
- Waele, B.D.; Lacorde, M.; Vergara, F.; Chan, G. 2015. New insights on Proterozoic tectonics and sedimentation along the peri-Gondwanan West African margin based on zircon U–Pb SHRIMP geochronology. *Precambrian Research* 259, 156–175.
- Walraven, F., Burger, A. J., Retief, E. A., Swanepoel, D. J. D. V., & Allsopp, H. L. 1984. Summary of age determinations carried out during the period April 1982 to March 1983. *Annals of the Geological Survey*, 18.
- Walraven, F., and Rumvegeri, B. T. 1993. Implications of whole-rock Pb–Pb and zircon evaporation dates for the early metamorphic history of the Kasai craton, Southern Zaïre. *Journal of African Earth Sciences (and the Middle East)*, 16(4), 395–404.
- Westerhof, A. B. P., Lehtonen, M. I., Mäkitie, H., Manninen, T., Pekkala, Y., Gustafsson, B., Tahon, A. 2008. The Tete-Chipata Belt: A new multiple terrane element from western Mozambique and southern Zambia. *Geological Survey of Finland Special Paper*, 48, 145–166.
- Westerhof, A. B. P., Tahon, A., Koistinen, T., Lehto, T., Åkerman, C. 2008. Igneous and tectonic setting of the allochthonous Tete Gabbro-Anorthosite Suite, Mozambique. *Geological Survey of Finland, Special Paper*, 48, 191–210.
- Westerhof, A. B., Härmä, P., Isabirye, E., Katto, E., Koistinen, T., Kuosmanen, E., Lehto, T., Lehtonen, M.I., Mäkitie, H., Manninen, T. 2014. Geology and geodynamic development of Uganda with explanation of the 1: 1,000,000 scale geological map. *Geological Survey of Finland, Special Paper* 55. Espoo.
- Whitehouse, M. J., Nemchin, A. A., Pidgeon, R. T. 2017. What can Hadean detrital zircon really tell us? A critical evaluation of their geochronology with implications for the interpretation of oxygen and hafnium isotopes. *Gondwana Research*, 51, 78–91. <https://doi.org/https://doi.org/10.1016/j.gr.2017.07.007>
- Williams, M.L., Jones, B.G., Carr, P.F. 2017. The interplay between massive volcanism and the local environment: Geochemistry of the Late Permian mass extinction across the Sydney Basin, Australia. *Gondwana Research*, 51, 149–169. <https://doi.org/https://doi.org/10.1016/j.gr.2017.07.015>

Wilson, J. F. 1968. The geology of the country around Mashaba: Geological Survey of Rhodesia Bulletin, no. 62.

Wilson, J. F., Nesbitt, R. W., Fanning, C. M. 1995. Zircon geochronology of Archaean felsic sequences in the Zimbabwe craton: a revision of greenstone stratigraphy and a model for crustal growth. Geological Society, London, Special Publications, 95(1), 109–126.

Youbi, N.; Kouyaté, D.; Söderlund, U.; Ernst, R.E.; Soullaimani, A.; Hafid, A.; Ikenne, M.; Bahat, A.E.; Bertrand, H.; Chaham, K.R.; Abbou, M.B.; Mortaji, A.; Ghorfi, M.E.; Zouhair, M.; Janati, M.E. 2013. The 1750 Ma Magmatic Event of the West African Craton (Anti-Atlas, Morocco). Precambrian Research 236, 106-123.

Zeh, A., Gerdes, A., Millonig, L. 2011. Hafnium isotope record of the Ancient Gneiss Complex, Swaziland, southern Africa: evidence for Archaean crust-mantle formation and crust reworking between 3.66 and 2.73 Ga. Journal of the Geological Society, 168(4), 953–964. <https://doi.org/10.1144/0016-76492010-117>.

