

**MAIN SOURCES**

- Baba, S.; Hokada, T.; Kaiden, H.; Dunkley, D. J.; Owada, M.; Shiraishi, K. 2010. SHRIMP zircon U-Pb dating of sapphirine-bearing granulite and biotite-hornblende gneiss in the Schirmacher Hills, east Antarctica: implications for Neoproterozoic ultrahigh-temperature metamorphism predating the assembly of Gondwana. *Journal of Geology*, 118, 621–639.
- Baba, S.; Horie, K.; Hokada, T.; Owada, M.; Adachi, T.; Shiraishi, K. 2015. Multiple collisions in the East African–Antarctica Orogen: constraints from timing of metamorphism in the Filchnerfjella and Hochlinfjellet Terranes in central Dronning Maud Land. *Journal of Geology*, 123, 55–77.
- Bradshaw, J. D.; Vaughan, A. P. M.; Millar, I. L.; Flowerdew, M. J.; Trouw, R. A. J.; Fanning, C. M.; Whitehouse, M. J. 2012. Permo-Carboniferous conglomerates in the Trinity Peninsula Group at View Point, Antarctic Peninsula : sedimentology, geochronology and isotope evidence for provenance and tectonic setting in Gondwana. *Geological Magazine*, 149, 626–644.
- Burton-Johnson, A.; Riley, T. R. 2015. Autochthonous v. accreted terrane development of continental margins: a revised in situ tectonic history of the Antarctic Peninsula.
- Corvino, A. F.; Boger, S. D.; Henjes-Kunst, F.; Wilson, C. J. L.; Fitzsimons, I. C. W. 2008. Superimposed tectonic events at 2450Ma, 2100Ma, 900Ma and 500Ma in the North Mawson Escarpment, Antarctic Prince Charles Mountains. *Precambrian Research*, 167, 281–302.
- Craddock, C. 1969. *Geology of the Ellsworth mountains*. Geologic Maps of Antarctica edn, American Geographic Society.
- Duclaux, G.; Rolland, Y.; Ruffet, G.; Ménot, R. P.; Guillot, S.; Peucat, J. J.; Fanning, M.; Rey, P.; Pêcher, A. 2008. Superimposed Neoproterozoic and Paleoproterozoic tectonics in the Terre Adélie Craton (East Antarctica): Evidence from Th-U-Pb ages on monazite and  $^{40}\text{Ar}/^{39}\text{Ar}$  ages. *Precambrian Research*, 167, 316–338.
- Estrada, S.; Läufer, A.; Eckelmann, K.; Hofmann, M.; Gärtner, A.; Linnemann, U. 2016. Continuous Neoproterozoic to Ordovician sedimentation at the East Gondwana margin - Implications from detrital zircons of the Ross Orogen in northern Victoria Land, Antarctica. *Gondwana Research*, 37, 426–448.
- Harley, S. 2016. A Matter of time: The importance of the Duration of UHT Metamorphism. *Journal of Mineral Petrological Science*, 111:50–72.
- Jacobs, J.; Elburg, M.; Läufer, A.; Kleinhanns, I. C.; Henjes-Kunst, F.; Estrada, S.; Ruppel, A. S.; Damaske, D.; Montero, P.; Bea, F. 2015. Two distinct Late Mesoproterozoic/Early Neoproterozoic basement provinces in central/eastern Dronning Maud Land, East Antarctica: The missing link, 15°-21°E. *Precambrian Research*, 265, 249–272.
- Liu, X.; Wang, W-R. Z.; Zhao, Y.; Liu, J.; Chen, H.; Cui, Y.; Song, B. 2016. Early Mesoproterozoic arc magmatism followed by early Neoproterozoic granulite facies metamorphism with a near-isobaric cooling path at Mount Brown, Princess Elizabeth Land, East Antarctica. *Precambrian Research*, 284, 30–48.
- Liu, X.; Zhao, Y.; Zhao, G.; Jian, P.; Xu, G. 2007. Petrology and Geochronology of Granulites from the McKaskle Hills, Eastern Amery Ice Shelf, Antarctica, and Implications for the Evolution of the Prydz Belt. *Journal of Petrology*, 48, 1443–1470.

- Mikhalsky, E. V.; Belyatsky, B. V.; Presnyakov, S. L.; Skublov, S. G.; Kovach, V. P.; Rodionov, N. V.; Antonov, A. V.; Saltykova, A. K.; Sergeev, S. A. 2015. The geological composition of the hidden Wilhelm II Land in East Antarctica: SHRIMP zircon, Nd isotopic and geochemical studies with implications for Proterozoic supercontinent reconstructions. *Precambrian Research*, 258, 171–185.
- Paulsen, T. S.; Deering, C.; Sliwinski, J.; Bachmann, O.; Guillong, M. 2016. Detrital zircon ages from the Ross Supergroup, north Victoria Land, Antarctica: Implications for the tectonostratigraphic evolution of the Pacific-Gondwana margin. *Gondwana Research* 35, 79–96.
- Tingey, R. J. 1991. The regional geology of Archaean and Proterozoic rocks in Antarctica, *The Geology of Antarctica*. RJ Tingey 1–73.
- Tsunogae, T.; Yang, Q-Y.; Santosh, M. 2015. Early Neoproterozoic arc magmatism in the Lützow-Holm Complex, East Antarctica: Petrology, geochemistry, zircon U–Pb geochronology and Lu–Hf isotopes and tectonic implications. *Precambrian Research*, 266, 467–489.
- Tucker, N. M.; Payne, J. L.; Clark, C.; Hand, M.; Taylor, R. J. M.; Kylander-Clark, A. R. C.; Martin, L. 2017 Proterozoic reworking of Archean (Yilgarn) basement in the Bunge Hills, East Antarctica. *Precambrian Research*, 298, 16–38.
- Zhang, S. H.; Zhao, Y.; Liu, X. C.; Liu, Y. S.; Hou, K. J.; Li, C. F.; Ye, H. 2012. U–Pb geochronology and geochemistry of the bedrocks and moraine sediments from the Windmill Islands: Implications for Proterozoic evolution of East Antarctica. *Precambrian Research*, 206–207, 52–71.

#### COMPLETE LIST OF REFERENCES

- Adachi, T.; Osanai, Y.; Hokada, T.; Nakano, N.; Baba, S.; Toyoshima, T. 2013. Timing of metamorphism in the central Sør Rondane Mountains, eastern Dronning Maud Land, East Antarctica: Constrains from SHRIMP zircon and EPMA monazite dating. *Precambrian Res.* 234, 136–160.
- Beliatsky, B. V.; Laiba, A. A.; Mikhalsky, E.V. T. 1994. U–Pb zircon age of the metavolcanic rocks of Fisher Massif (Prince Charles Mountains, East Antarctica). *Antarctic Science*, 6, 355–358.
- Boger, S. D.; Maas, R.; Fanning, C. M. 2008. Isotopic and geochemical constraints on the age and origin of granitoids from the central Mawson Escarpment, southern Prince Charles Mountains, East Antarctica. *Contributions to Mineralogy and Petrology*, 155, 379–400.
- Boger, S. D.; Wilson, C. J. L.; Fanning, C. M. 2001. Early Paleozoic tectonism within the East Antarctic craton: The final suture between east and west Gondwana? *Geology*, 29, 463–466.
- Boger, S. D.; Wilson, C. J. L.; Mark Fanning, C. 2006. An Archaean province in the southern Prince Charles Mountains, East Antarctica: U–Pb zircon evidence for c. 3170 Ma granite plutonism and c. 2780 Ma partial melting and orogenesis. *Precambrian Research*, 145, 207–228.

- Carson, C. J.; Ague, J. J.; Coath, C. D. 2002. U–Pb geochronology from Tonagh Island, East Antarctica: implications for the timing of ultra-high temperature metamorphism of the Napier Complex. *Precambrian Research*, 116, 237–263.
- Clark, C.; Kinny, P. D.; Harley, S. L. 2012. Sedimentary provenance and age of metamorphism of the Vestfold Hills, East Antarctica: Evidence for a piece of Chinese Antarctica? *Precambrian Research*, 196–197, 23–45.
- Corvino, A.; Henjes-Kunst, F. 2007. A record of 2.5 and 1.1 billion year old crust in the Lawrence Hills, Antarctic Southern Prince Charles Mountains. *Terra Antarctica*, 14, 13.
- Corvino, A. F.; Boger, S. D.; Wilson, C. J. L. 2007. Metamorphic conditions during formation of a metapelitic sillimanite-garnet gneiss from Clemence Massif, Prince Charles Mountains, East Antarctica. *Antarct. A Keystone a Chang. World—Online Proc. 10th ISAES. USGS Open-File Rep. 1047.*
- Corvino, A. F.; Boger, S. D.; Wilson, C. J. L.; Fitzsimons, I. C. W. 2005. Geology and SHRIMP U-Pb zircon chronology of the Clemence Massif, central Prince Charles Mountains, East Antarctica. *Terra Antarctica*, 12, 55.
- Crowe, W. A.; Osanai, Y.; Toyoshima, T.; Owada, M.; Tsunogae, T.; Hokada, T. 2002. SHRIMP geochronology of a mylonite zone on Tonagh Island: characterisation of the last high-grade tectonothermal event in the Napier Complex, East Antarctica. *Polar Geoscience*, 15, 17–36.
- Elliot, D. H.; Fanning, C. M.; Laudon, T. S. 2016. The Gondwana Plate margin in the Weddell Sea sector: Zircon geochronology of Upper Paleozoic (mainly Permian) strata from the Ellsworth Mountains and eastern Ellsworth Land, Antarctica. *Gondwana Research*, 29, 234–247.
- Ellis, D. J. 1983. The Napier and Rayner Complexes of Enderby Land, Antarctica: contrasting styles of metamorphism and tectonism. *Antarctic Earth Science*, 20–24.
- Flowerdew, M. J.; Millar, I. L.; Curtis, M. L.; Vaughan, A. P. M.; Horstwood, M. S. A.; Whitehouse, M. J.; Fanning, C. M. 2007. Combined U-Pb geochronology and Hf isotope geochemistry of detrital zircons from early Paleozoic sedimentary rocks, Ellsworth-Whitmore Mountains block, Antarctica. *GSA Bulletin*, 119, 275–288.
- Goode, J.W., Fanning, C.M., 2010. Composition and age of the East Antarctic Shield in eastern Wilkes Land determined by proxy from Oligocene-Pleistocene glaciomarine sediment and Beacon Supergroup sandstones, Antarctica. *Geol. Soc. Am. Bull.* 122, 1135–1159.
- Grew, E. S.; Manton, W. I.; James, P. R. 1988. U-Pb data on granulite facies rocks from fold island, Kemp Coast, East Antarctica. *Precambrian Research*, 42, 63–75.
- Grew, E. S.; Suzuki, K.; Asami, M. 2001. CHIME ages of xenotime, monazite and zircon from beryllium pegmatites in the Napier Complex, Khmara Bay, Enderby Land, East Antarctica. *Polar Geoscience*, 14, 99–118.

- Grew, E. S.; Yates, M. G.; Shearer, C. K.; Hagerty, J. J.; Sheraton, J. W.; Sandiford, M. 2006. Beryllium and other trace elements in paragneisses and anatectic veins of the ultrahigh-temperature Napier Complex, Enderby Land, East Antarctica: the role of sapphirine. *J. Petrol.* 47, 859–882.
- Halpin, J. A.; White, R. W.; Clarke, G. L.; Kelsey, D. E. 2007. The Proterozoic P–T–t Evolution of the Kemp Land Coast, East Antarctica; Constraints from Si-saturated and Si-undersaturated Metapelites. *Journal of Petrology*, 48, 1321–1349.
- Harley, S. L.; Kelly, N. M. 2007. The impact of zircon-garnet REE distribution data on the interpretation of zircon U–Pb ages in complex high-grade terrains: An example from the Rauer Islands, East Antarctica. *Chemical Geology*, 241, 62–87.
- Harley, S. L.; Snape, I.; Black, L. P. 1998. The evolution of a layered metagneous complex in the Rauer Group, East Antarctica: evidence for a distinct Archaean terrane. *Precambrian Research*, 89, 175–205.
- Hathway, B. 2000. Continental rift to back-arc basin: Jurassic–Cretaceous stratigraphical and structural evolution of the Larsen Basin, Antarctic Peninsula. *Journal of the Geological Society of London*, 157, 417–432.
- Hokada, T.; Misawa, K.; Yokoyama, K.; Shiraishi, K.; Yamaguchi, A. 2004. SHRIMP and electron microprobe chronology of UHT metamorphism in the Napier Complex, East Antarctica: implications for zircon growth at > 1,000 C. *Contributions to Mineralogy and Petrology*, 147, 1–20.
- Horie, K.; Hokada, T.; Hiroi, Y.; Motoyoshi, Y.; Shiraishi, K. 2012. Contrasting Archaean crustal records in western part of the Napier Complex, East Antarctica: New constraints from SHRIMP geochronology. *Gondwana Research*, 21, 829–837.
- Hunter, M. A.; Cantrill, D. J. 2006. A new stratigraphy for the Latady Basin, Antarctic Peninsula: Part 2, Latady Group and basin evolution. *Geological Magazine*, 143, 797–819.
- Jacobs, J.; Bauer, W.; Kreutzer, S.; Patzelt, G.; Schmidt, R.; Schulze, P.; Siegesmund, S.; Spaeth, G.; Thomas, R. J.; Weber, K.; Zarske, G. 2009. Geological map of Heimefrontfjella, Dronning Maud Land, Antarctica (Scale 1:250,000).
- Jacobs, J.; Bingen, B.; Thomas, R. J.; Bauer, W.; Wingate, M. T. D.; Feitio, P. 2008. Early Palaeozoic orogenic collapse and voluminous late-tectonic magmatism in Dronning Maud Land and Mozambique: insights into the partially delaminated orogenic root of the East African–Antarctic Orogen? *Geological Society of London, Special Publications*, 308, 69–90.
- Kelly, N.; Clarke, G. L.; Fanning, C. M. 2002. A two-stage evolution of the Neoproterozoic Rayner Structural Episode: new U–Pb sensitive high resolution ion microprobe constraints from the Oygarden Group, Kemp Land, East Antarctica. *Precambrian Research*, 116, 307–330.
- Kelly, N. M.; Clarke, G. L.; Carson, C. J.; White, R. W. 2000. Thrusting in the lower crust: evidence from the Oygarden Islands, Kemp Land, East Antarctica. *Geological Magazine*, 137, 219–234.

- Kelly, N. M.; Harley, S. L. 2005. An integrated microtextural and chemical approach to zircon geochronology: refining the Archaean history of the Napier Complex, east Antarctica. *Contributions to Mineralogical Petrology*, 149, 57–84.
- Kelly, N. M.; Harley, S. L. 2004. Orthopyroxene–Corundum in Mg–Al-rich Granulites from the Oygarden Islands, East Antarctica. *Journal of Petrology*, 45, 1481–1512.
- Kelsey, D. E.; Powell, R.; Wilson, C. J. L.; Steele, D. A. 2003. (Th+ U)-Pb monazite ages from Al-Mg-rich metapelites, Rauer Group, East Antarctica. *Contributions to Mineralogical Petrology*, 146, 326–340.
- Kinny, P. D.; Black, L.P., Sheraton, J.W., 1993. Zircon ages and the distribution of Archaean and Proterozoic rocks in the Rauer Islands. *Antarctic Science*, 5, 193–206.
- Laiba, A. A.; Mikhalsky, E. V. 1999. Gabbroids of the Willing Massif, East Antarctica: a layered intrusion in a Proterozoic mobile belt, geologic structure and chemical composition. *Petrology*, 7, 32–52.
- Laudon, T. S. 1991. Petrology of sedimentary rocks from the English Coast, eastern Ellsworth Land. *Geological Evolution of Antarctica*, 455–460.
- Leat, P. T.; Scarrow, J. H.; Millar, I. L. 1995. On the Antarctic Peninsula batholith. *Geological Magazine*, 132, 399–412.
- Li, Z.; Tainosho, Y.; Kimura, J.; Shiraishi, K.; Owada, M. 2003. Pan-African Alkali Granitoids from the Sør Rondane Mountains, East Antarctica. *Gondwana Res.* 6, 595–605.
- Liu, X.; Jahn, B.; Zhao, Y.; Li, M.; Li, H.; Liu, X. 2006. Late Pan-African granitoids from the Grove Mountains, East Antarctica: Age, origin and tectonic implications. *Precambrian Res.* 145, 131–154.
- Macdonald, D. I. M.; Barker, P. F.; Garrett, S. W.; Ineson, J. R.; Pirrie, D.; Storey, B. C.; Whitham, A. G.; Kinghorn, R. R. F.; Marshall, J. E. A. 1988. A preliminary assessment of the hydrocarbon potential of the Larsen Basin, Antarctica. *Marine and Petroleum Geology*, 5, 34–53.
- Marschall, H. R.; Hawkesworth, C. J.; Leat, P. T. 2013. Mesoproterozoic subduction under the eastern edge of the Kalahari-Grunehogna Craton preceding Rodinia assembly: The Ritscherflya detrital zircon record, Ahlmannryggen (Dronning Maud Land, Antarctica). *Precambrian Research*, 236, 31–45.
- Ménot, R.-P.; Pecher, A.; Rolland, Y.; Peucat, J. J.; Pelletier, A.; Duclaux, G.; Guillot, S. 2005. Structural Setting of the Neoproterozoic Terrains in the Commonwealth Bay Area (143–145° E), Terre Adélie Craton, East Antarctica. *Gondwana Research*, 8, 1–9.
- Ménot, R. -P.; Peucat, J. J.; Pelletier, A.; Fanning, M. 1999. New constrains on the Archean–Proterozoic evolution of the Terre Adélie–George V Land, East Antarctica. *J. Confer. Abstr. EUG 10 (March 28–April 1, 1999)* 4, 122.
- Mikhalskii, E. V, Belyatskii, B. V, Sergeev, S.A., 2009. New data on the age of rocks in the Mirnyi Station area, East Antarctica. *Doklady Earth Sciences*, 426, 527–531.

- Mikhalsky, E. V.; Beliatsky, B. V.; Sheraton, J. W.; Roland, N. W. 2006. Two distinct Precambrian terranes in the Southern Prince Charles Mountains, East Antarctica: SHRIMP dating and geochemical constraints. *Gondwana Research*, 9, 291–309.
- Mikhalsky, E. V. 2001. *Geology of the Prince Charles Mountains, Antarctica*. AGSO-Geoscience Australia.
- Mikhalsky, E. V.; Laiba, A. A.; Beliatsky, B. V.; Stüwe, K. 1999. Geology, age and origin of the Mount Willing area (Prince Charles Mountains, east Antarctica). *Antarctic Science*, 11, 338–352.
- Mikhalsky, E. V.; Sheraton, J. W.; Laiba, A. A.; Beliatsky, B. V. 1996. Geochemistry and origin of Mesoproterozoic metavolcanic rocks from Fisher Massif, Prince Charles Mountains, East Antarctica. *Antarctica Science*, 8, 85–104.
- Millar, I. L.; Pankhurst, R. J.; Fanning, C. M. 2002. Basement chronology of the Antarctic Peninsula: recurrent magmatism and anatexis in the Palaeozoic Gondwana margin. *Journal of the Geological Society London*, 159, 145–157.
- Murphy, D. T.; Collerson, K. D.; Kamber, B. S. 2002. Lamproites from Gaussberg, Antarctica: possible transition zone melts of Archaean subducted sediments. *J. Petrol.* 43, 981–1001.
- Oliver, R. L.; Fanning, C. M. 1997. Australia and Antarctica: precise correlation of Palaeoproterozoic terrains. *Antarctic Regional Geological Evolution and Processes* 163–172.
- Osanai, Y.; Nogi, Y.; Baba, S.; Nakano, N.; Adachi, T.; Hokada, T.; Toyoshima, T.; Owada, M.; Satish-Kumar, M.; Kamei, A. 2013. Geologic evolution of the Sør Rondane Mountains, East Antarctica: collision tectonics proposed based on metamorphic processes and magnetic anomalies. *Precambrian Research*, 234, 8–29.
- Pankhurst, R. J.; Riley, T. R.; Fanning, C. M.; Kelley, S. P. 2000. Episodic silicic volcanism in Patagonia and the Antarctic Peninsula: chronology of magmatism associated with the break-up of Gondwana. *Journal of Petrology*, 41, 605–625.
- Pant, N. C.; Kundu, A.; D'Souza, M. J.; Saikia, A. 2013. Petrology of the Neoproterozoic granulites from Central Dronning Maud Land, East Antarctica – Implications for southward extension of East African Orogen (EAO). *Precambrian Research*, 227, 389–408.
- Pauly, J.; Marschall, H. R.; Meyer, H.-P.; Chatterjee, N.; Monteleone, B. 2016. Prolonged Ediacaran–Cambrian Metamorphic History and Short-lived High-pressure Granulite-facies Metamorphism in the H.U. Sverdrupfjella, Dronning Maud Land (East Antarctica): Evidence for Continental Collision during Gondwana Assembly. *Journal of Petrology*, 57, 185–228.
- Peucat, J. J.; Ménot, R. P.; Fanning, C. M.; Pelletier, A.; Pecora, L. 1999a. Geochronological evidence for a Late Archaean basement in the Terre Adélie Craton, in: 8th International Symposium on Antarctic Earth Sciences: Wellington, New Zealand. p. 242.

- Peucat, J. J.; Ménot, R. P.; Monnier, O.; Fanning, C. M. 1999b. The Terre Adélie basement in the East-Antarctica Shield: geological and isotopic evidence for a major 1.7 Ga thermal event; comparison with the Gawler Craton in South Australia. *Precambrian Research*, 94, 205–224.
- Phillips, G.; Wilson, C. J. L.; Campbell, I. H.; Allen, C. M. 2006. U-Th-Pb detrital zircon geochronology from the southern Prince Charles Mountains, East Antarctica - Defining the Archaean to Neoproterozoic Ruker Province. *Precambrian Research*, 148, 292–306.
- Ravich, M. G.; Klimov, L. V.; Soloviev, D. S. 1965. *Dokembriy Vostochnoy Antarktity* (The Precambrian of east Antarctica). Izd. Nedra 658.
- Riley, T. R.; Curtis, M. L.; Leat, P. T.; Millar, I. L. 2009. The geochemistry of Middle Jurassic dykes associated with the Straumsvola-Tvora alkaline plutons, Dronning Maud Land, Antarctica and their association with the Karoo large igneous province. *Mineralogical Magazine*, 73, 205-226.
- Riley, T. R.; Flowerdew, M. J.; Hunter, M. A.; Whitehouse, M. J. 2010. Middle Jurassic rhyolite volcanism of eastern Graham Land, Antarctic Peninsula: age correlations and stratigraphic relationships. *Geological Magazine*, 147, 581–595.
- Rowley, P. D.; Schmidt, D. L.; Williams, P. L. 1982. Mount Poster Formation, southern Antarctic Peninsula and eastern Ellsworth Land. *Antarctic Journal of the United States*, 17, 38–39.
- Sheraton, J. W.; Black, L. P.; Tindle, A. G. 1992. Petrogenesis of plutonic rocks in a Proterozoic granulite-facies terrane—the Bungler Hills, East Antarctica. *Chemical Geology*, 97, 163–198.
- Sheraton, J. W.; Tingey, R. J.; Black, L. P.; Oliver, R. L. 1993. Geology of the Bungler Hills area, Antarctica: implications for Gondwana correlations. *Antarctic Science*, 5, 85–102.
- Shiraishi, K.; Dunkley, D. J.; Hokada, T.; Fanning, C. M.; Kagami, H.; Hamamoto, T. 2008. Geochronological constraints on the Late Proterozoic to Cambrian crustal evolution of eastern Dronning Maud Land, East Antarctica: a synthesis of SHRIMP U-Pb age and Nd model age data. *Geological Society of London, Special Publications*, 308, 21–67.
- Shiraishi, K.; Ellis, D. J.; Hiroi, Y.; Fanning, C. M.; Motoyoshi, Y.; Nakai, Y. 1994. Cambrian orogenic belt in East Antarctica and Sri Lanka: implications for Gondwana assembly. *Journal of Geology*, 102, 47–65.
- Shiraishi, K.; Hokada, T.; Fanning, C. M.; Misawa, K.; Motoyoshi, Y. 2003. Timing of thermal events in eastern Dronning Maud Land, East Antarctica. *Polar Geoscience*, 16, 76–99.
- Tainosho, Y.; Takahashi, Y.; Arakawa, Y.; Osanai, Y.; Tsuchiya, N.; Sakiyama, T.; Owada, M. 1992. Petrochemical character and Rb-Sr isotopic investigation of the granitic rocks from the Sør Rondane Mountains, East Antarctica. *Recent Prog. Antarct. Earth Sci. TERRAPUB, Tokyo* 45–54.
- Takahashi, Y.; Arakawa, Y.; Sakiyama, T.; Osanai, Y.; Makimoto, H. 1990. Rb-Sr and K-Ar whole rock ages of the plutonic bodies from the Sor Rondane Mountains, East Antarctica, in: *Proceedings of the NIPR Symposium on Antarctic Geosciences*. National Institute of Polar Research, pp. 1–8.

Tsunogae, T.; Yang, Q.-Y.; Santosh, M. 2016. Neoproterozoic-Early Paleoproterozoic and Early Neoproterozoic arc magmatism in the Lützow-Holm Complex, East Antarctica: Insights from petrology, geochemistry, zircon U-Pb geochronology and Lu-Hf isotopes. *Lithos*, 263, 239–256.

Wendt, A. S.; Vaughan, A. P. M.; Tate, A. 2008. Metamorphic rocks in the Antarctic Peninsula region. *Geological Magazine*, 145, 655–676.

Wever, H. E.; Storey, B. C. 1992. Bimodal magmatism in northeast Palmer Land, Antarctic Peninsula: geochemical evidence for a Jurassic ensialic back-arc basin. *Tectonophysics*, 205, 239–259.

Ziemann, M. A.; Förster, H.-J.; Harlov, D. E.; Dirk, F. 2005. Origin of fluorapatite-monzonite assemblages in a metamorphosed, sillimanite-bearing pegmatoid, Reinbolt Hills, East Antarctica. *European Journal of Mineralogy*, 17, 567–579.

