

## REFERENCES

- Aitken, A.R.A., Young, D.A., Ferraccioli, F., Betts, P.G., Greenbaum, J.S., Richter, T.G., Roberts, J.L., Blankenship, D.D., Siegert, M.J., 2014. The subglacial geology of Wilkes Land, East Antarctica. *Geophys. Res. Lett.* 41, 2390–2400. <https://doi.org/10.1002/2014GL059405>
- Baba, S., Hokada, T., Kaiden, H., Dunkley, D.J., Owada, M., Shiraishi, K., 2010. SHRIMP zircon U-Pb dating of sapphirine-bearing granulite and biotite-hornblende gneiss in the Schirmacher Hills, east Antarctica: implications for Neoproterozoic ultrahigh-temperature metamorphism predating the assembly of Gondwana. *J. Geol.* 118, 621–639.
- Baba, S., Owada, M., Shiraishi, K., 2008. Contrasting metamorphic P-T path between Schirmacher Hills and Muhlig-Hofmannfjella, central Dronning Maud Land, East Antarctica. *Geol. Soc. London, Spec. Publ.* 308, 401–417. <https://doi.org/10.1144/SP308.20>
- Beliatsky, B. V., Laiba, A.A., Mikhalsky, E.V. t, 1994. U-Pb zircon age of the metavolcanic rocks of Fisher Massif (Prince Charles Mountains, East Antarctica). *Antarct. Sci.* 6, 355–358.
- Black, L.P., Sheraton, J.W., 1990. The influence of Precambrian source components on the U-Pb zircon age of a Palaeozoic granite from Northern Victoria land, Antarctica. *Precambrian Res.* 46, 275–293. [https://doi.org/10.1016/0301-9268\(90\)90016-J](https://doi.org/10.1016/0301-9268(90)90016-J)
- Black, L.P., Sheraton, J.W., Tingey, R.J., McCulloch, M., 1992. New U-Pb zircon ages from the Denman Glacier area, East Antarctica, and their significance for Gondwana reconstruction. *Antarct. Sci.* 4, 447–460.
- Boger, S.D., Wilson, C.J.L., Mark Fanning, C., 2006. An Archaean province in the southern Prince Charles Mountains, East Antarctica: U-Pb zircon evidence for c. 3170 Ma granite plutonism and c. 2780 Ma partial melting and orogenesis. *Precambrian Res.* 145, 207–228. <https://doi.org/10.1016/j.precamres.2005.12.003>
- Bomparola, R.M., Ghezzi, C., Belousova, E., Griffin, W.L., O'Reilly, S.Y., 2007. Resetting of the U-Pb zircon system in cambro-ordovician intrusives of the deep freeze range, Northern Victoria Land, Antarctica. *J. Petrol.* 48, 327–364. <https://doi.org/10.1093/petrology/egl064>
- Bradshaw, J.D., Vaughan, A.P.M., Millar, I.L., Flowerdew, M.J., Trouw, R.A.J., Fanning, C.M., Whitehouse, M.J., 2012. Permo-Carboniferous conglomerates in the Trinity Peninsula Group at View Point, Antarctic Peninsula: sedimentology, geochronology and isotope evidence for provenance and tectonic setting in Gondwana. *Geol. Mag.* 149, 626–644. <https://doi.org/10.1017/S001675681100080X>
- Brewer, T.S., Rex, D., Guise, P.G., Hawkesworth, C.J., 1996. Geochronology of Mesozoic tholeiitic magmatism in Antarctica: implications for the development of the failed Weddell Sea rift system. *Geol. Soc. London, Spec. Publ.* 108, 45–61.
- Brook, D., 1972b. Stratigraphy of the Theron Mountains. *Br. Antarct. Surv. Bull.* 29, 67–89.
- Brook, D., 1972a. Geology of the Theron Mountains, Antarctica. University of Birmingham.
- Brown, C.R., Yakymchuk, C., Brown, M., Fanning, C.M., Korhonen, F.J., Piccoli, P.M., Siddoway, C.S., 2016. From Source to Sink: Petrogenesis of Cretaceous Anatectic Granites from the Fosdick Migmatite–Granite Complex, West Antarctica. *J. Petrol.* 57, 1241–1278.

<https://doi.org/10.1093/petrology/egw039>

- Buggisch, W., Kleinschmidt, G., Hohndorf, A., Pohl, J., 1994. Stratigraphy and facies of sediments and low-grade metasediments in the Shackleton Range, Antarctica. *Polarforschung* 63, 9–32.
- Burton-Johnson, A., Riley, T.R., 2015. Autochthonous v. accreted terrane development of continental margins: a revised in situ tectonic history of the Antarctic Peninsula. *J. Geol. Soc. London*.
- Carson, C.J., Ague, J.J., Coath, C.D., 2002. U–Pb geochronology from Tonagh Island, East Antarctica: implications for the timing of ultra-high temperature metamorphism of the Napier Complex. *Precambrian Res.* 116, 237–263.
- Clark, C., Kinny, P.D., Harley, S.L., 2012a. Sedimentary provenance and age of metamorphism of the Vestfold Hills, East Antarctica: Evidence for a piece of Chinese Antarctica? *Precambrian Res.* 196–197, 23–45. <https://doi.org/10.1016/j.precamres.2011.11.001>
- Clark, C., Kinny, P.D., Harley, S.L., 2012b. Sedimentary provenance and age of metamorphism of the Vestfold Hills, East Antarctica: Evidence for a piece of Chinese Antarctica? *Precambrian Res.* 196–197, 23–45. <https://doi.org/10.1016/j.precamres.2011.11.001>
- Clarkson, P.D., 1982. Geology of the Shackleton Range: I. The Shackleton Range Metamorphic Complex. *Br. Antarct. Surv. Bull.* 51, 257–283.
- Collinson, J.W., Isbell, J.L., Elliot, D.H., Miller, M.F., Miller, J.M.G., Veevers, J.J., 1994. Permian-Triassic Transantarctic basin, in: Veevers, J.J., Powell, C.M. (Eds.), *Geological Society of America Memoirs. Geological Society of America*, pp. 173–222. <https://doi.org/10.1130/MEM184-p173>
- Collinson, J.W., Vavra, C.L., Zawiskie, J.M., 1992. Chapter 5: Sedimentology of the Polarstar Formation (Permian), Ellsworth Mountains, West Antarctica, in: Webers, G.F., Craddock, C., Splettstoesser, J.F. (Eds.), *Geology and Paleontology of the Ellsworth Mountains, West Antarctica. Geological Society of America*.
- Corvino, A.F., Boger, S.D., Henjes-Kunst, F., Wilson, C.J.L., Fitzsimons, I.C.W., 2008. Superimposed tectonic events at 2450Ma, 2100Ma, 900Ma and 500Ma in the North Mawson Escarpment, Antarctic Prince Charles Mountains. *Precambrian Res.* 167, 281–302. <https://doi.org/10.1016/j.precamres.2008.09.001>
- Craddock, C., 1983. The East Antarctica–West Antarctica boundary between the ice sheet, in: Oliver, R.L., James, P.R., Jago, J.B. (Eds.), *Antarctic Earth Sciences: Cambridge. Cambridge University Press*, pp. 94–97.
- Craddock, C., 1969. Geology of the Ellsworth mountains. *Geog. Soc. Antarct. Map Folio Ser. Folio*.
- Crowe, W.A., Osanai, Y., Toyoshima, T., Owada, M., Tsunogae, T., Hokada, T., 2002. SHRIMP geochronology of a mylonite zone on Tonagh Island: characterisation of the last high-grade tectonothermal event in the Napier Complex, East Antarctica. *Polar Geosci.* 15, 17–36.
- Curtis, M.L., Millar, I.L., Storey, B.C., Fanning, M., 2004. Structural and geochronological constraints of early Ross orogenic deformation in the Pensacola Mountains, Antarctica. *Geol. Soc. Am. Bull.* 116, 619. <https://doi.org/10.1130/B25170.1>
- Daczko, N.R., Halpin, J.A., Fitzsimons, I.C.W., Whittaker, J.M., 2018. A cryptic Gondwana-forming orogen located in Antarctica. *Sci. Rep.* 8, 8371. <https://doi.org/10.1038/s41598-018-26530-1>
- Di Vincenzo, G., Grande, A., Rossetti, F., 2014. Paleozoic siliciclastic rocks from northern Victoria

- Land (Antarctica): Provenance, timing of deformation, and implications for the Antarctica-Australia connection. *Geol. Soc. Am. Bull.* 126, 1416–1438.
- Di Vincenzo, G., Rocchi, S., 1999. Origin and interaction of mafic and felsic magmas in an evolving late orogenic setting: the Early Paleozoic Terra Nova Intrusive Complex, Antarctica. *Contribution to Mineral. Petrol.* 137, 15–35. <https://doi.org/10.1007/s004100050579>
- Duclaux, G., Rolland, Y., Ruffet, G., Ménot, R.-P., Guillot, S., Peucat, J.-J., Fanning, M., Rey, P., Pêcher, A., 2008. Superimposed Neoproterozoic and Paleoproterozoic tectonics in the Terre Adélie Craton (East Antarctica): Evidence from Th–U–Pb ages on monazite and <sup>40</sup>Ar/<sup>39</sup>Ar ages. *Precambrian Res.* 167, 316–338. <https://doi.org/10.1016/j.precamres.2008.09.009>
- Elburg, M., Jacobs, J., Andersen, T., Clark, C., Läufer, A., Ruppel, A., Krohne, N., Damaske, D., 2015. Early Neoproterozoic metagabbro-tonalite-trondhjemite of Sør Rondane (East Antarctica): Implications for supercontinent assembly. *Precambrian Res.* 259, 189–206. <https://doi.org/10.1016/j.precamres.2014.10.014>
- Elliot, D.H., 2013a. The geological and tectonic evolution of the Transantarctic Mountains: a review. *Geol. Soc. London, Spec. Publ.* 381, 7–35. <https://doi.org/10.1144/SP381.14>
- Elliot, D.H., 2013b. The geological and tectonic evolution of the Transantarctic Mountains: a review. *Geol. Soc. London, Spec. Publ.* 381, 7–35. <https://doi.org/10.1144/SP381.14>
- Elliot, D.H., Fanning, C.M., Laudon, T.S., 2016. The Gondwana Plate margin in the Weddell Sea sector: Zircon geochronology of Upper Paleozoic (mainly Permian) strata from the Ellsworth Mountains and eastern Ellsworth Land, Antarctica. *Gondwana Res.* 29, 234–247. <https://doi.org/10.1016/j.gr.2014.12.001>
- Elliot, D.H., Fleming, T.H., 2017. The Ferrar Large Igneous Province: field and geochemical constraints on supra-crustal (high-level) emplacement of the magmatic system. *Geol. Soc. London, Spec. Publ.* 463.
- Elliot, D.H., Fleming, T.H., 2017. The Ferrar Large Igneous Province: field and geochemical constraints on supra-crustal (high-level) emplacement of the magmatic system. *Geol. Soc. London, Spec. Publ.* 463, 41–58. <https://doi.org/10.1144/SP463.1>
- Estrada, S., Läufer, A., Eckelmann, K., Hofmann, M., Gärtner, A., Linnemann, U., 2016. Continuous Neoproterozoic to Ordovician sedimentation at the East Gondwana margin — Implications from detrital zircons of the Ross Orogen in northern Victoria Land, Antarctica. *Gondwana Res.* 37, 426–448. <https://doi.org/10.1016/j.gr.2015.10.006>
- Evans, K.R., Mckenna Mckenna, L.W., Lieberman, B.S., Weichert, W.D., Macleod, K.G., 2017. Geology of the Nelson Limestone, Postel Nunatak, Patuxent Range, Antarctica. *Antarct. Sci.* 30, 1–15. <https://doi.org/10.1017/S0954102017000396>
- Faure, G., Mensing, T.M., 2011. *The Transantarctic Mountains*. Springer Netherlands, Dordrecht. <https://doi.org/10.1007/978-90-481-9390-5>
- Ferraccioli, F., Finn, C.A., Jordan, T.A., Bell, R.E., Anderson, L.M., Damaske, D., 2011. East Antarctic rifting triggers uplift of the Gamburtsev Mountains. *Nature* 479, 388–392.
- Ferris, J., Johnson, A., Storey, B., 1998. Form and extent of the Dufek intrusion, Antarctica, from newly compiled aeromagnetic data. *Earth Planet. Sci. Lett.* 154, 185–202. [https://doi.org/10.1016/S0012-821X\(97\)00165-9](https://doi.org/10.1016/S0012-821X(97)00165-9)
- Flowerdew, M.J., 2008. Short note: On the age and relation between metamorphic gneisses and the

- Trinity Peninsula Group, Bowman Coast, Graham Land, Antarctica. *Antarct. Sci.* 20, 511–512. <https://doi.org/10.1017/S0954102008001399>
- Flowerdew, M.J., Millar, I.L., Curtis, M.L., Vaughan, A.P.M., Horstwood, M.S.A., Whitehouse, M.J., Fanning, C.M., 2007. Combined U-Pb geochronology and Hf isotope geochemistry of detrital zircons from early Paleozoic sedimentary rocks, Ellsworth-Whitmore Mountains block, Antarctica. *GSA Bull.* 119, 275–288.
- Fretwell, P., Pritchard, H.D., Vaughan, D.G., Bamber, J.L., Barrand, N.E., Bell, R., Bianchi, C., Bingham, R.G., Blankenship, D.D., Casassa, G., Catania, G., Callens, D., Conway, H., Cook, A.J., Corr, H.F.J., Damaske, D., Damm, V., Ferraccioli, F., Forsberg, R., Fujita, S., Gim, Y., Gogineni, P., Griggs, J.A., Hindmarsh, R.C.A., Holmlund, P., Holt, J.W., Jacobel, R.W., Jenkins, A., Jokat, W., Jordan, T., King, E.C., Kohler, J., Krabill, W., Riger-Kusk, M., Langley, K.A., Leitchenkov, G., Leuschen, C., Luyendyk, B.P., Matsuoka, K., Mouginot, J., Nitsche, F.O., Nogi, Y., Nost, O.A., Popov, S. V., Rignot, E., Rippin, D.M., Rivera, A., Roberts, J., Ross, N., Siegert, M.J., Smith, A.M., Steinhage, D., Studinger, M., Sun, B., Tinto, B.K., Welch, B.C., Wilson, D., Young, D.A., Xiangbin, C., Zirizzotti, A., 2013. Bedmap2: Improved ice bed, surface and thickness datasets for Antarctica. *Cryosphere* 7, 375–393. <https://doi.org/10.5194/tc-7-375-2013>
- Giacomini, F., Tiepolo, M., Dallai, L., Ghezzo, C., 2007. On the onset and evolution of the Ross-orogeny magmatism in North Victoria Land — Antarctica. *Chem. Geol.* 240, 103–128. <https://doi.org/10.1016/j.chemgeo.2007.02.005>
- Goode, J.W., Fanning, C.M., 2016. Mesoarchean and Paleoproterozoic history of the Nimrod Complex, central Transantarctic Mountains, Antarctica: Stratigraphic revisions and relation to the Mawson Continent in East Gondwana. *Precambrian Res.* 285, 242–271. <https://doi.org/10.1016/j.precamres.2016.09.001>
- Goode, J.W., Fanning, C.M., 2010. Composition and age of the East Antarctic Shield in eastern Wilkes Land determined by proxy from Oligocene-Pleistocene glaciomarine sediment and Beacon Supergroup sandstones, Antarctica. *Geol. Soc. Am. Bull.* 122, 1135–1159. <https://doi.org/10.1130/B30079.1>
- Gootee, B., Stump, E., 2006. Depositional Environments of the Byrd Group, Byrd Glacier Area: A Cambrian Record of Sedimentation, Tectonism, and Magmatism, in: *Antarctica*. Springer-Verlag, Berlin/Heidelberg, pp. 191–194. [https://doi.org/10.1007/3-540-32934-X\\_23](https://doi.org/10.1007/3-540-32934-X_23)
- Gose, W.A., Helper, M.A., Connelly, J.N., Hutson, F.E., Dalziel, I.W.D., 1997. Paleomagnetic data and U-Pb isotopic age determinations from Coats Land, Antarctica: Implications for late Proterozoic plate reconstructions. *J. Geophys. Res. Solid Earth* 102, 7887–7902. <https://doi.org/10.1029/96JB03595>
- Gradstein, F.M., Ogg, J.G., Hilgen, F.J., 2012. On The Geologic Time Scale. *Newsletters Stratigr.* 45, 171–188.
- Grew, E.S., Suzuki, K., Asami, M., 2001. CHIME ages of xenotime, monazite and zircon from beryllium pegmatites in the Napier Complex, Khmara Bay, Enderby Land, East Antarctica. *Polar Geosci.* 14, 99–118.
- Grew, E.S., Yates, M.G., Shearer, C.K., Hagerty, J.J., Sheraton, J.W., Sandiford, M., 2006. Beryllium and other trace elements in paragneisses and anatectic veins of the ultrahigh-temperature Napier Complex, Enderby Land, East Antarctica: the role of sapphirine. *J. Petrol.* 47, 859–882.
- Grindley, G.W., Laird, M.G., 1969. Geology of the Shackleton coast. *Antarct. Map Folio Ser. Folio*

12, XIV 12, 14.

- Harley, S., 2016. A Matter of time: The importance of the Duration of UHT Metamorphism. *J. Mineral. Petrol. Sci.* 111, 50–72. <https://doi.org/10.2465/jmps.160128>
- Harley, S.L., Kelly, N.M., 2007. The impact of zircon-garnet REE distribution data on the interpretation of zircon U-Pb ages in complex high-grade terrains: An example from the Rauer Islands, East Antarctica. *Chem. Geol.* 241, 62–87. <https://doi.org/10.1016/j.chemgeo.2007.02.011>
- Harley, S.L., Snape, I., Black, L.P., 1998. The evolution of a layered metaigneous complex in the Rauer Group, East Antarctica: evidence for a distinct Archaean terrane. *Precambrian Res.* 89, 175–205.
- Hathway, B., 2000. Continental rift to back-arc basin: Jurassic–Cretaceous stratigraphical and structural evolution of the Larsen Basin, Antarctic Peninsula. *J. Geol. Soc. London.* 157, 417–432.
- Hokada, T., Misawa, K., Yokoyama, K., Shiraishi, K., Yamaguchi, A., 2004. SHRIMP and electron microprobe chronology of UHT metamorphism in the Napier Complex, East Antarctica: Implications for zircon growth at >1,000 °C. *Contrib. to Mineral. Petrol.* 147, 1–20. <https://doi.org/10.1007/s00410-003-0550-2>
- Horie, K., Hokada, T., Hiroi, Y., Motoyoshi, Y., Shiraishi, K., 2012. Contrasting Archaean crustal records in western part of the Napier Complex, East Antarctica: New constraints from SHRIMP geochronology. *Gondwana Res.* 21, 829–837.
- Hunter, M.A., Cantrill, D.J., 2006. A new stratigraphy for the Latady Basin, Antarctic Peninsula: Part 2, Latady Group and basin evolution. *Geol. Mag.* 143, 797–819.
- Ikeda, Y., Shiraishi, K., 1998. Petrogenesis of the tonalitic rocks from the Sør Rondane Mountains, East Antarctica. *Polar Geosci.* 11, 143–153.
- Jacobs, J., Elburg, M., Läufer, A., Kleinhanns, I.C., Henjes-Kunst, F., Estrada, S., Ruppel, A.S., Damaske, D., Montero, P., Bea, F., 2015. Two distinct Late Mesoproterozoic/Early Neoproterozoic basement provinces in central/eastern Dronning Maud Land, East Antarctica: The missing link, 15–21°E. *Precambrian Res.* 265, 249–272. <https://doi.org/10.1016/j.precamres.2015.05.003>
- Jacobs, J., Pisarevsky, S., Thomas, R.J., Becker, T., 2008. The Kalahari Craton during the assembly and dispersal of Rodinia. *Precambrian Res.* 160, 142–158. <https://doi.org/10.1016/j.precamres.2007.04.022>
- Kamei, A., Horie, K., Owada, M., Yuhara, M., Nakano, N., Osanai, Y., Adachi, T., Hara, Y., Terao, M., Teuchi, S., Shimura, T., Tsukada, K., Hokada, T., Iwata, C., Shiraishi, K., Ishizuka, H., Takahashi, Y., 2012. Late Proterozoic juvenile arc metatonalite and adakitic intrusions in the Sør Rondane Mountains, eastern Dronning Maud Land, Antarctica. *Precambrian Res.* 234, 47–62. <https://doi.org/10.1016/j.precamres.2012.09.026>
- Kelly, N.M., Clarke, G.L., Fanning, C.M., 2002. A two-stage evolution of the Neoproterozoic Rayner Structural Episode: New U-Pb sensitive high resolution ion microprobe constraints from the Oygarden Group, Kemp Land, East Antarctica. *Precambrian Res.* 116, 307–330. [https://doi.org/10.1016/S0301-9268\(02\)00028-1](https://doi.org/10.1016/S0301-9268(02)00028-1)
- Kelly, N.M., Harley, S.L., 2005. An integrated microtextural and chemical approach to zircon geochronology: refining the Archaean history of the Napier Complex, east Antarctica. *Contrib.*

- to Mineral. Petrol. 149, 57–84.
- Kelly, N.M., Harley, S.L., 2004. Orthopyroxene–Corundum in Mg–Al-rich Granulites from the Oygarden Islands, East Antarctica. *J. Petrol.* 45, 1481–1512.
- Kleinschmidt, G., Boger, S.D., 2009. The Bertrab, Littlewood and Moltke Nunataks of Prinz-Regent-Luitpold-Land (Coats Land) Enigma of East Antarctic Geology. *Polarforschung* 78, 95–104.
- Kleinschmidt, G., Tessonsohn, F., 1987. Early Paleozoic westward directed subduction at the Pacific margin of Antarctica. *Gondwana Six Struct. Tectonics, Geophys. Geodynamic*, 89–105.
- Kusiak, M.A., Whitehouse, M.J., Wilde, S.A., Dunkley, D.J., Menneken, M., Nemchin, A.A., Clark, C., 2013. Changes in zircon chemistry during archean UHT metamorphism in the Napier Complex, Antarctica. *Am. J. Sci.* 313, 933–967. <https://doi.org/10.2475/09.2013.05>
- Laiba, A.A., Mikhalsky, E. V., 1999. Gabbroids of the Willing Massif, East Antarctica: a layered intrusion in a Proterozoic mobile belt, geologic structure and chemical composition. *Petrology* 7, 32–52.
- Laudon, T.S., 1991. Petrology of sedimentary rocks from the English Coast, eastern Ellsworth Land. *Geol. Evol. Antarct.* 455–460.
- Leat, P.T., Scarrow, J.H., Millar, I.L., 1995. On the Antarctic Peninsula batholith. *Geol. Mag.* 132, 399–412.
- Li, Z., Tainosho, Y., Kimura, J., Shiraiishi, K., Owada, M., 2003. Pan-African Alkali Granitoids from the Sør Rondane Mountains, East Antarctica. *Gondwana Res.* 6, 595–605. [https://doi.org/10.1016/S1342-937X\(05\)71010-8](https://doi.org/10.1016/S1342-937X(05)71010-8)
- Liu, X., Jahn, B., Zhao, Y., Li, M., Li, H., Liu, X., 2006. Late Pan-African granitoids from the Grove Mountains, East Antarctica: Age, origin and tectonic implications. *Precambrian Res.* 145, 131–154. <https://doi.org/10.1016/j.precamres.2005.11.017>
- Liu, X., Wang, W.-(R. Z., Zhao, Y., Liu, J., Chen, H., Cui, Y., Song, B., 2016. Early Mesoproterozoic arc magmatism followed by early Neoproterozoic granulite facies metamorphism with a near-isobaric cooling path at Mount Brown, Princess Elizabeth Land, East Antarctica. *Precambrian Res.* 284, 30–48. <https://doi.org/10.1016/j.precamres.2016.08.003>
- Liu, X., Zhao, Y., Zhao, G., Jian, P., Xu, G., 2007. Petrology and Geochronology of Granulites from the McKaskle Hills, Eastern Amery Ice Shelf, Antarctica, and Implications for the Evolution of the Prydz Belt. *J. Petrol.* 48, 1443–1470.
- Liu, X., Zhao, Z., Zhao, Y., Chen, J., Liu, X., 2003. Pyroxene exsolution in mafic granulites from the Grove Mountains, East Antarctica: constraints on Pan-African metamorphic conditions. *Eur. J. Mineral.* 15, 55–65. <https://doi.org/10.1127/0935-1221/2003/0015-0055>
- Macdonald, D.I.M., Barker, P.F., Garrett, S.W., Ineson, J.R., Pirrie, D., Storey, B.C., Whitham, A.G., Kinghorn, R.R.F., Marshall, J.E.A., 1988. A preliminary assessment of the hydrocarbon potential of the Larsen Basin, Antarctica. *Mar. Pet. Geol.* 5, 34–53.
- Marschall, H.R., Hawkesworth, C.J., Leat, P.T., 2013. Mesoproterozoic subduction under the eastern edge of the Kalahari-Grunehogna Craton preceding Rodinia assembly: The Ritscherflya detrital zircon record, Ahlmannryggen (Dronning Maud Land, Antarctica). *Precambrian Res.* 236, 31–45. <https://doi.org/10.1016/j.precamres.2013.07.006>
- McLoughlin, S., Larsson, K., Lindström, S., 2005. Permian plant macrofossils from Fossilryggen,

- Vestfjella, Dronning Maud Land. *Antarct. Sci.* 17, 73–86. <https://doi.org/10.1017/S0954102005002464>
- Meneilly, A.W., Harrison, S.M., Piercy, B.A., Storey, B.C., 1987. Structural evolution of the magmatic arc in northern Palmer Land, Antarctic Peninsula. *Gondwana Six Struct. tectonics, Geophys.* 209–219.
- Ménot, R.-P., Pecher, A., Rolland, Y., Peucat, J.J., Pelletier, A., Duclaux, G., Guillot, S., 2005. Structural Setting of the Neoproterozoic Terrains in the Commonwealth Bay Area (143–145° E), Terre Adélie Craton, East Antarctica. *Gondwana Res.* 8, 1–9.
- Menot, R.P., Pecher, A., Rolland, Y., Peucat, J.J., Pelletier, A., Duclaux, G., Guillot, S., 2005. Structural setting of the neoproterozoic Bay Area (143–145 degrees E), Terre Adélie Terrains in the commonwealth Craton, East Antarctica. *Gondwana Res.* 8, 1–9. [https://doi.org/10.1016/s1342-937x\(05\)70258-6](https://doi.org/10.1016/s1342-937x(05)70258-6)
- Ménot, R.P., Peucat, J.J., Pelletier, A., Fanning, M., 1999. New constraints on the Archean–Proterozoic evolution of the Terre Adélie–George V Land, East Antarctica. *J. Confer. Abstr. EUG 10 (March 28–April 1, 1999)* 4, 122.
- Mikhalsky, E. V., Beliatsky, B. V., Sheraton, J.W., Roland, N.W., 2006. Two distinct Precambrian terranes in the Southern Prince Charles Mountains, East Antarctica: SHRIMP dating and geochemical constraints. *Gondwana Res.* 9, 291–309. <https://doi.org/10.1016/j.gr.2005.10.002>
- Mikhalsky, E. V., Belyatsky, B. V., Presnyakov, S.L., Skublov, S.G., Kovach, V.P., Rodionov, N. V., Antonov, A. V., Saltykova, A.K., Sergeev, S.A., 2015. The geological composition of the hidden Wilhelm II Land in East Antarctica: SHRIMP zircon, Nd isotopic and geochemical studies with implications for Proterozoic supercontinent reconstructions. *Precambrian Res.* 258, 171–185. <https://doi.org/10.1016/j.precamres.2014.12.011>
- Mikhalsky, E. V., 2001. *Geology of the Prince Charles Mountains, Antarctica*. AGSO-Geoscience Australia.
- Mikhalsky, E. V., Laiba, A.A., Beliatsky, B. V., Stüwe, K., 1999. Geology, age and origin of the Mount Willing area (Prince Charles Mountains, east Antarctica). *Antarct. Sci.* 11, 338–352.
- Mikhalsky, E. V., Sheraton, J.W., Laiba, A.A., Beliatsky, B. V., 1996. Geochemistry and origin of Mesoproterozoic metavolcanic rocks from Fisher Massif, Prince Charles Mountains, East Antarctica. *Antarct. Sci.* 8, 85–104.
- Millar, I.L., Pankhurst, R.J., 1987. Rb–Sr geochronology of the region between the Antarctic Peninsula and the Transantarctic Mountains: Haag Nunataks and Mesozoic granitoids, in: *Gondwana Six: Structure, Tectonics, and Geophys. Monogr. Ser. American Geophysical Union*, pp. 151–160. <https://doi.org/10.1029/GM040p0151>
- Millar, I.L., Pankhurst, R.J., Fanning, C.M., 2002. Basement chronology of the Antarctic Peninsula: recurrent magmatism and anatexis in the Palaeozoic Gondwana margin. *J. Geol. Soc. London.* 159, 145–157.
- Minor, D.R., Mukasa, S.B., 1995. A new U–Pb crystallization age and isotope geochemistry of the Dufek layered mafic intrusion; Implications for formation of the Ferrar volcanic province, in: *7th Int. Symp. on Antarctic Earth Sciences*. p. 272.
- Mukasa, S.B., Dalziel, I.W.D., 2000. Marie Byrd Land, West Antarctica: Evolution of Gondwana's Pacific margin constrained by zircon U–Pb geochronology and feldspar common-Pb isotopic compositions. *Bull. Geol. Soc. Am.* 112, 611–627. <https://doi.org/10.1130/0016->

7606(2000)112<611:MBLWAE>2.0.CO;2

- Murphy, D.T., Collerson, K.D., Kamber, B.S., 2002. Lamproites from Gaussberg, Antarctica: possible transition zone melts of Archaean subducted sediments. *J. Petrol.* 43, 981–1001.
- Oliver, R.L., Fanning, C.M., 1997. Australia and Antarctica: precise correlation of Palaeoproterozoic terrains. *Antarct. Reg. Geol. Evol. Process.* 163–172.
- Osanai, Y., Nogi, Y., Baba, S., Nakano, N., Adachi, T., Hokada, T., Toyoshima, T., Owada, M., Satish-Kumar, M., Kamei, A., 2013. Geologic evolution of the Sør Rondane Mountains, East Antarctica: collision tectonics proposed based on metamorphic processes and magnetic anomalies. *Precambrian Res.* 234, 8–29.
- Pankhurst, R.J., Millar, I.L., Grunow, A.M., Storey, B.C., 1993. The Pre-Cenozoic magmatic history of the Thurston Island Crustal Block, west Antarctica. *J. Geophys. Res.* 98, 11835. <https://doi.org/10.1029/93JB01157>
- Pankhurst, R.J., Riley, T.R., Fanning, C.M., Kelley, S.P., 2000. Episodic silicic volcanism in Patagonia and the Antarctic Peninsula: chronology of magmatism associated with the break-up of Gondwana. *J. Petrol.* 41, 605–625.
- Pankhurst, R.J., Weaver, S.D., Bradshaw, J.D., Storey, B.C., Ireland, T.R., 1998. Geochronology and geochemistry of pre-Jurassic superterrane in Marie Byrd Land, Antarctica. *J. Geophys. Res. Solid Earth* 103, 2529–2547. <https://doi.org/10.1029/97JB02605>
- Paulsen, T.S., Deering, C., Sliwinski, J., Bachmann, O., Guillong, M., 2016. Detrital zircon ages from the Ross Supergroup, north Victoria Land, Antarctica: Implications for the tectonostratigraphic evolution of the Pacific-Gondwana margin. *Gondwana Res.* 35, 79–96. <https://doi.org/10.1016/j.gr.2016.04.001>
- Paulsen, T.S., Encarnación, J., Grunow, A.M., Valencia, V.A., Pecha, M., Layer, P.W., Rasoazanamparany, C., 2013. Age and significance of ‘outboard’ high-grade metamorphics and intrusives of the Ross orogen, Antarctica. *Gondwana Res.* 24, 349–358. <https://doi.org/10.1016/j.gr.2012.10.004>
- Pauly, J., Marschall, H.R., Meyer, H.-P., Chatterjee, N., Monteleone, B., 2016. Prolonged Ediacaran–Cambrian Metamorphic History and Short-lived High-pressure Granulite-facies Metamorphism in the H.U. Sverdrupfjella, Dronning Maud Land (East Antarctica): Evidence for Continental Collision during Gondwana Assembly. *J. Petrol.* 57, 185–228.
- Peucat, J.J., Ménot, R.P., Monnier, O., Fanning, C.M., 1999. The Terre Adélie basement in the East-Antarctica Shield: geological and isotopic evidence for a major 1.7 Ga thermal event; comparison with the Gawler Craton in South Australia. *Precambrian Res.* 94, 205–224.
- Phillips, G., Wilson, C.J.L., Campbell, I.H., Allen, C.M., 2007. Erratum to: “U–Th–Pb detrital zircon geochronology from the southern Prince Charles Mountains, East Antarctica—Defining the Archaean to Neoproterozoic Ruker Province” [*J. Precam. Res.* 148 (2006) 292–306]. *Precambrian Res.* <https://doi.org/10.1016/j.precamres.2006.12.003>
- Phillips, G., Wilson, C.J.L., Campbell, I.H., Allen, C.M., 2006. U-Th-Pb detrital zircon geochronology from the southern Prince Charles Mountains, East Antarctica - Defining the Archaean to Neoproterozoic Ruker Province. *Precambrian Res.* 148, 292–306. <https://doi.org/10.1016/j.precamres.2006.05.001>
- Ravich, M.G., Klimov, L. V., Soloviev, D.S., 1965. Dokembriy Vostochnoy Antarktity (The Precambrian of east Antarctica). *Izd. Nedra* 658.



- Renna, M.R., Tiepolo, M., Tribuzio, R., 2011. In situ U-Pb geochronology of baddeleyite-zircon pairs using laser-ablation ICPMS: the case-study of quartz gabbro from Varney Nunatak (central Victoria Land, Antarctica). *Eur. J. Mineral.* 23, 223–240. <https://doi.org/10.1127/0935-1221/2011/0023-2083>
- Riley, T.R., Curtis, M.L., Flowerdew, M.J., Whitehouse, M.J., 2016. Evolution of the Antarctic Peninsula lithosphere: Evidence from Mesozoic mafic rocks. *Lithos* 244, 59–73.
- Riley, T.R., Flowerdew, M.J., Hunter, M.A., Whitehouse, M.J., 2010. Middle Jurassic rhyolite volcanism of eastern Graham Land, Antarctic Peninsula: age correlations and stratigraphic relationships. *Geol. Mag.* 147, 581–595.
- Rossetti, F., Vignaroli, G., Di Vincenzo, G., Gerdes, A., Ghezzo, C., Theye, T., Balsamo, F., 2011. Long-lived orogenic construction along the paleo-Pacific margin of Gondwana (Deep Freeze Range, North Victoria Land, Antarctica). *Tectonics* 30, n/a-n/a. <https://doi.org/10.1029/2010TC002804>
- Rowell, A.J., Van Schmus, W.R., Storey, B.C., Fetter, a. H., Evans, K.R., 2001. Latest Neoproterozoic to Mid-Cambrian age for the main deformation phases of the Transantarctic Mountains: new stratigraphic and isotopic constraints from the Pensacola Mountains, Antarctica. *J. Geol. Soc. London.* 158, 295–308. <https://doi.org/10.1144/jgs.158.2.295>
- Rowley, P.D., Schmidt, D.L., Williams, P.L., 1982. Mount Poster Formation, southern Antarctic Peninsula and eastern Ellsworth Land. *Antarct. J. United States* 17, 38–39.
- Scambos, T.A., Haran, T.M., Fahnestock, M.A., Painter, T.H., Bohlander, J., 2007. MODIS-based Mosaic of Antarctica (MOA) data sets: Continent-wide surface morphology and snow grain size. *Remote Sens. Environ.* 111, 242–257. <https://doi.org/10.1016/j.rse.2006.12.020>
- Schmidt, D.L., Ford, A.B., 1969. Geology of the Pensacola and Thiel mountains. *Antarct. map folio Ser. Folio* 12.
- Schulz, B., Schüssler, U., 2013. Electron-microprobe Th-U-Pb monazite dating in Early-Palaeozoic high-grade gneisses as a completion of U-Pb isotopic ages (Wilson Terrane, Antarctica). *Lithos* 175–176, 178–192. <https://doi.org/10.1016/j.lithos.2013.05.008>
- Sheraton, J.W., Black, L.P., Tindle, A.G., 1992. Petrogenesis of plutonic rocks in a Proterozoic granulite-facies terrane—the Bunger Hills, East Antarctica. *Chem. Geol.* 97, 163–198.
- Sheraton, J.W., Tingey, R.J., 1994. Bedrock Geology of the Bunger Hills-Denman Glacier Region (1:250000 scale map). *Aust. Geol. Surv. Organ. Bull.* 244.
- Shiraishi, K., Dunkley, D.J., Hokada, T., Fanning, C.M., Kagami, H., Hamamoto, T., 2008. Geochronological constraints on the Late Proterozoic to Cambrian crustal evolution of eastern Dronning Maud Land, East Antarctica: a synthesis of SHRIMP U-Pb age and Nd model age data. *Geol. Soc. London, Spec. Publ.* 308, 21–67.
- Siddoway, C.S., Elkind, S., Cox, S., Lyttle, B.S., 2016. Antarctic GeoMAP for Marie Byrd Land: A digital map of exposed and subglacial geology and surficial glacial deposits, in: Scientific Committee on Antarctic Research (SCAR), Open Science Meeting. Kuala Lumpur.
- Storey, B.C., Dalziel, I.W.D., 1987. Outline of the Structural and Tectonic History Of The Ellsworth Mountains-Thiel Mountains Ridge, West Antarctica. *Gondwana Six Struct. Tectonics, Geophys., Geophysical Monograph Series.* <https://doi.org/doi:10.1029/GM040p0117>
- Stump, E., 1995. *The Ross Orogen of the Transantarctic Mountains.* Cambridge University Press,

New York.

- Tainosho, Y., Takahashi, Y., Arakawa, Y., Osanai, Y., Tsuchiya, N., Sakiyama, T., Owada, M., 1992. Petrochemical character and Rb-Sr isotopic investigation of the granitic rocks from the Sør Rondane Mountains, East Antarctica. *Recent Prog. Antarct. Earth Sci. TERRAPUB*, Tokyo 45–54.
- Takahashi, K., Tsunogae, T., Ugwuonah, E.N., 2017. Fluid-induced high-temperature metasomatism at Rundvågshetta in the Lützow-Holm Complex, East Antarctica: Implications for the role of brine during granulite formation. *Geosci. Front.* <https://doi.org/10.1016/j.gsf.2017.11.010>
- Takahashi, Y., Arakawa, Y., Sakiyama, T., Osanai, Y., Makimoto, H., 1990. Rb-Sr and K-Ar whole rock ages of the plutonic bodies from the Sor Rondane Mountains, East Antarctica, in: *Proceedings of the NIPR Symposium on Antarctic Geosciences*. National Institute of Polar Research, pp. 1–8.
- Takamura, Y., Tsunogae, T., Santosh, M., Tsutsumi, Y., 2018. Detrital zircon geochronology of the Lützow-Holm Complex, East Antarctica: Implications for Antarctica–Sri Lanka correlation. *Geosci. Front.* 9, 355–375. <https://doi.org/10.1016/J.GSF.2017.08.006>
- Tingey, R.J., 1991. The regional geology of Archaean and Proterozoic rocks in Antarctica, *The Geology of Antarctica*. RJ Tingey 1–73.
- Tsunogae, T., Yang, Q.-Y., Santosh, M., 2016. Neoproterozoic and Early Neoproterozoic arc magmatism in the Lützow-Holm Complex, East Antarctica: Insights from petrology, geochemistry, zircon U/Pb geochronology and Lu-Hf isotopes. *Lithos* 263, 239–256. <https://doi.org/10.1016/j.lithos.2016.02.010>
- Tucker, N.M., Hand, M., 2016. New constraints on metamorphism in the Highjump Archipelago, East Antarctica. *Antarct. Sci.* 28, 487–503. <https://doi.org/10.1017/S095410201600033X>
- Tucker, N.M., Payne, J.L., Clark, C., Hand, M., Taylor, R.J.M., Kylander-Clark, A.R.C., Martin, L., 2017. Proterozoic reworking of Archean (Yilgarn) basement in the Bunge Hills, East Antarctica. *Precambrian Res.* 298, 16–38. <https://doi.org/10.1016/j.precamres.2017.05.013>
- Webers, G.F., Bauer, R.L., Anderson, J.M., Buggisch, W., Ojakangas, R.W., Sporli, K.B., 1992. The Heritage Range of the Ellsworth Mountains, West Antarctica, in: Webers, G.F., Craddock, C., Splettstoesser, J.F. (Eds.), *Geology and Paleontology of the Ellsworth Mountains, West Antarctica*. Geological Society of America, pp. 9–20. <https://doi.org/10.1130/MEM170-p375>
- Webers, G.F., Craddock, C., Rogers, M.A., Anderson, J.J., 1982. Geology of the Whitmore Mountains, in: Craddock, C. (Ed.), *Antarctic Geoscience: International Union of Geological Sciences (IUGS)*. pp. 841–847.
- Wendt, A.S., Vaughan, A.P.M., Tate, A., 2008. Metamorphic rocks in the Antarctic Peninsula region. *Geol. Mag.* 145, 655–676.
- Wever, H.E., Storey, B.C., 1992. Bimodal magmatism in northeast Palmer Land, Antarctic Peninsula: geochemical evidence for a Jurassic ensialic back-arc basin. *Tectonophysics* 205, 239–259.
- Will, T.M., Frimmel, H.E., Zeh, A., Le Roux, P., Schmädicke, E., 2010. Geochemical and isotopic constraints on the tectonic and crustal evolution of the Shackleton Range, East Antarctica, and correlation with other Gondwana crustal segments. *Precambrian Res.* 180, 85–112. <https://doi.org/10.1016/j.precamres.2010.03.005>
- Will, T.M., Zeh, A., Gerdes, A., Frimmel, H.E., Millar, I.L., Schmädicke, E., 2009. Palaeoproterozoic

- to Palaeozoic magmatic and metamorphic events in the Shackleton Range, East Antarctica: Constraints from zircon and monazite dating, and implications for the amalgamation of Gondwana. *Precambrian Res.* 172, 25–45. <https://doi.org/10.1016/j.precamres.2009.03.008>
- Williams, M.A., Kelsey, D.E., Hand, M., Raimondo, T., Morrissey, L.J., Tucker, N.M., Dutch, R.A., 2018. Further evidence for two metamorphical events in the Mawson Continent. *Antarct. Sci.* 30, 44–65. <https://doi.org/DOI: 10.1017/S0954102017000451>
- Yakymchuk, C., Brown, M., Clark, C., Korhonen, F.J., Piccoli, P.M., Siddoway, C.S., Taylor, R.J.M., Vervoort, J.D., 2015. Decoding polyphase migmatites using geochronology and phase equilibria modelling. *J. Metamorph. Geol.* 33, 203–230. <https://doi.org/10.1111/jmg.12117>
- Zhang, S.H., Zhao, Y., Liu, X.C., Liu, Y.S., Hou, K.J., Li, C.F., Ye, H., 2012. U-Pb geochronology and geochemistry of the bedrocks and moraine sediments from the Windmill Islands: Implications for Proterozoic evolution of East Antarctica. *Precambrian Res.* 206–207, 52–71. <https://doi.org/10.1016/j.precamres.2012.02.019>
- Zhao, Y., Liu, X.C., Fanning, C.M., Liu, X.H., 2000. The Grove Mountains, a segment of a Pan-African orogenic belt in East Antarctica. *Abstr. Vol. 31th IGC, Rio Janeiro, Brazil.*
- Ziemann, M.A., Förster, H.-J., Harlov, D.E., Dirk, F., 2005. Origin of fluorapatite-monzite assemblages in a metamorphosed, sillimanite-bearing pegmatoid, Reinbolt Hills, East Antarctica. *Eur. J. Mineral.* 17, 567–579.